



## Visual Acuity Screening Excluded Studies List

### Language

1. Dam VH, Bleijenberg N, Numans ME, et al. [Proactive and structured care for the elderly in primary care]. *Tijdschrift voor gerontologie en geriatrie*; 2013. p. 81-9.
2. Inaba Y, Obuchi S, Arai T, et al. [Effects of exercise intervention on exercise behavior in community-dwelling elderly subjects: a randomized controlled trial]. *Nihon Ronen Igakkai zasshi. Japanese journal of geriatrics*; 2013. p. 788-96.
3. Józefowski P, Borowska A, Szafraniec R, et al. [The impact of group therapeutic exercises on postural stability and the risk of falls of postmenopausal women]. *Wiadomo?ci lekarskie (Warsaw, Poland : 1960)*; 2015. p. 132-8.
4. Metzelthin SF, Rossum E, Witte LP, et al. Frail elderly people living at home; effects of an interdisciplinary primary care programme. [Dutch]. *Nederlands tijdschrift voor geneeskunde*; 2014.
5. Wolter A, Stolle C, Roth G, et al. [Does the resident care assessment instrument improve long-term home care? - results of a nation-wide study in Germany]. *Gesundheitswesen (Bundesverband der Ärzte des Öffentlichen Gesundheitsdienstes (Germany))*; 2013. p. 29-32.

### Study Design

6. Aartolahti E, Hakkinen A, Lonnroos E, et al. Relationship between functional vision and balance and mobility performance in community-dwelling older adults. *Aging-Clinical & Experimental Research*. 2013 Oct;25(5):545-52. doi: <http://dx.doi.org/10.1007/s40520-013-0120-z>.
7. Agarwal G, McDonough B, Angeles R, et al. Rationale and methods of a multicentre randomised controlled trial of the effectiveness of a Community Health Assessment Programme with Emergency Medical Services (CHAP-EMS) implemented on residents aged 55 years and older in subsidised seniors' housing buildings in Ontario, Canada. *BMJ Open*. 2015;5(6):e008110. doi: <http://dx.doi.org/10.1136/bmjopen-2015-008110>.
8. Albert SM, Edelstein O, King J, et al. Assessing the quality of a non-randomized pragmatic trial for primary prevention of falls among older adults. *Prevention Science*. 2015 Jan;16(1):31-40. doi: <http://dx.doi.org/10.1007/s11121-014-0466-2>.
9. Alessi CA, Stuck AE, Aronow HU, et al. The process of care in preventive in-home comprehensive geriatric assessment. *J Am Geriatr Soc*. 1997 Sep;45(9):1044-50. PMID: 9288009.
10. Almeida ST, Soldera CL, Carli GA, et al. Analysis of extrinsic and intrinsic factors that predispose elderly individuals to fall. *Revista Da Associacao Medica Brasileira*. 2012 Jul-Aug;58(4):427-33.
11. Anonymous. Exercise programme aims to cut number of falls across Europe. *Nursing Older People*. 2014;26(9):7-. doi: 10.7748/nop.26.9.7.s5.
12. Anonymous. Preventing falls in older people. *Nursing Standard*. 2015;29(34):19-. doi: 10.7748/ns.29.34.19.s25.
13. Anonymous. NICE launches new standards to reduce falls. *GM: Midlife & Beyond*. 2015;45(4):12-.

14. Arnold AL, Goujon N, Busija L, et al. Near-vision impairment and unresolved vision problems in Indigenous Australian adults. *Clinical & Experimental Ophthalmology*. 2013 Apr;41(3):223-30. doi: <http://dx.doi.org/10.1111/j.1442-9071.2012.02846.x>.
15. Arora KS, Chang DS, Supakontanasan W, et al. Assessment of a rapid method to determine approximate visual acuity in large surveys and other such settings. *American Journal of Ophthalmology*. 2014 Jun;157(6):1315-21.e1. doi: <http://dx.doi.org/10.1016/j.ajo.2014.02.031>.
16. Bleijenberg N, ten Dam VH, Drubbel I, et al. Development of a proactive care program (U-CARE) to preserve physical functioning of frail older people in primary care. *Journal of Nursing Scholarship*. 2013 Sep;45(3):230-7. doi: <http://dx.doi.org/10.1111/jnu.12023>.
17. Bleijenberg N, Ten Dam VH, Steunenbergh B, et al. Exploring the expectations, needs and experiences of general practitioners and nurses towards a proactive and structured care programme for frail older patients: a mixed-methods study. *Journal of Advanced Nursing*. 2013 Oct;69(10):2262-73. doi: <http://dx.doi.org/10.1111/jan.12110>.
18. Bouman A, van Rossum E, Evers S, et al. Effects on health care use and associated cost of a home visiting program for older people with poor health status: a randomized clinical trial in the Netherlands. *J Gerontol A Biol Sci Med Sci*. 2008 Mar;63(3):291-7. PMID: 18375878.
19. Bula CJ, Alessi CA, Aronow HU, et al. Community physicians' cooperation with a program of in-home comprehensive geriatric assessment. *J Am Geriatr Soc*. 1995 Sep;43(9):1016-20. PMID: 7657917.
20. Burton E, Lewin G, Clemson L, et al. Physical activity programs for older people receiving a restorative home care service, which is more effective? *Journal of Science and Medicine in Sport*; 2012. p. S304.
21. Cattelani L, Palumbo P, Palmerini L, et al. FRAT-up, a Web-based Fall-Risk Assessment Tool for Elderly People Living in the Community. *Journal of Medical Internet Research*. 2015;17(2):e41-e. doi: 10.2196/jmir.4064.
22. Chandler JM, Duncan PW, Kochersberger G, et al. Is lower extremity strength gain associated with improvement in physical performance and disability in frail, community-dwelling elders? *Arch Phys Med Rehabil*. 1998 Jan;79(1):24-30. PMID: 9440412.
23. Chou R, Dana T, Bougatsos C, et al. Screening for impaired visual acuity in older adults: updated evidence report and systematic review for the US Preventive Services Task Force. *JAMA*. 2016 Mar 1;315(9):915-33. doi: <http://dx.doi.org/10.1001/jama.2016.0783>.
24. Ciaschini PM, Straus SE, Dolovich LR, et al. Community-based randomised controlled trial evaluating falls and osteoporosis risk management strategies. *Trials*. 2008;9:62. doi: 10.1186/1745-6215-9-62. PMID: 18983670.
25. Clark DO, Stump TE, Tu W, et al. Improving the validity of activity of daily living dependency risk assessment. *Journal of Applied Gerontology*. 2015 Apr;34(3):329-42. doi: <http://dx.doi.org/10.1177/0733464812471894>.
26. Clarke S, Bradley R, Simmonds B, et al. Can paramedics use FRAX (the WHO Fracture Risk Assessment Tool) to help GPs improve future fracture risk in patients who fall? Protocol for a randomised controlled feasibility study. *BMJ Open*. 2014;4(9):e005744. doi: <http://dx.doi.org/10.1136/bmjopen-2014-005744>.
27. Close JC, Wesson J, Sherrington C, et al. Can a tailored exercise and home hazard reduction program reduce the rate of falls in community dwelling older people with cognitive impairment: protocol paper for the i-FOCIS randomised controlled trial. *BMC Geriatrics*. 2014;14:89. doi: <http://dx.doi.org/10.1186/1471-2318-14-89>.
28. Colon-Emeric CS. A team approach: comprehensive evaluation for functional decline in older patients. *American Family Physician*. 2013;88(6):397-.

29. Counsell SR, Callahan CM, Buttar AB, et al. Geriatric Resources for Assessment and Care of Elders (GRACE): a new model of primary care for low-income seniors. *J Am Geriatr Soc.* 2006 Jul;54(7):1136-41. doi: 10.1111/j.1532-5415.2006.00791.x. PMID: 16866688.
30. Currin ML, Comans TA, Heathcote K, et al. Staying safe at home. Home environmental audit recommendations and uptake in an older population at high risk of falling. *Australasian Journal on Ageing.* 2012 Jun;31(2):90-5. doi: <http://dx.doi.org/10.1111/j.1741-6612.2011.00545.x>.
31. Dahlin-Ivanoff S, Gosman-Hedstrom G, Edberg AK, et al. Elderly persons in the risk zone. Design of a multidimensional, health-promoting, randomised three-armed controlled trial for "prefrail" people of 80+ years living at home. *BMC Geriatr.* 2010;10:27. doi: 10.1186/1471-2318-10-27. PMID: 20504358.
32. Darby J, Williamson T, Logan P, et al. Comprehensive geriatric assessment on an acute medical unit: A qualitative study of older people's and informal carer's perspectives of the care and treatment received. *Clinical Rehabilitation.* 2016 Jan 22;22:22. doi: <http://dx.doi.org/10.1177/0269215515624134>.
33. de Negreiros Cabral K, Perracini MR, Soares AT, et al. Effectiveness of a multifactorial falls prevention program in community-dwelling older people when compared to usual care: study protocol for a randomised controlled trial (Prevquedas Brazil). *BMC Geriatrics.* 2013;13:27. doi: <http://dx.doi.org/10.1186/1471-2318-13-27>.
34. Demons JL, Chenna S, Callahan KE, et al. Utilizing a Meals on Wheels Program to Teach Falls Risk Assessment to Medical Students. *Gerontology & Geriatrics Education.* 2014;35(4):409-20. doi: 10.1080/02701960.2014.930033.
35. Doba N, Tokuda Y, Goldstein NE, et al. A pilot trial to predict frailty syndrome: the Japanese Health Research Volunteer Study. *Experimental Gerontology.* 2012 Aug;47(8):638-43. doi: <http://dx.doi.org/10.1016/j.exger.2012.05.016>.
36. Dolovich L, Oliver D, Lamarche L, et al. A protocol for a pragmatic randomized controlled trial using the Health Teams Advancing Patient Experience: Strengthening Quality (Health TAPESTRY) platform approach to promote person-focused primary healthcare for older adults. *Implementation Science.* 2016;11:49. doi: <http://dx.doi.org/10.1186/s13012-016-0407-5>.
37. Donate-Martinez A, Rodenas F, Garcés J. Impact of a primary-based telemonitoring programme in HRQOL, satisfaction and usefulness in a sample of older adults with chronic diseases in Valencia (Spain). *Archives of Gerontology & Geriatrics.* 2016 Jan-Feb;62:169-75. doi: <http://dx.doi.org/10.1016/j.archger.2015.09.008>.
38. Dorresteijn TAC, Rixt Zijlstra GA, Van Haastregt JCM, et al. Feasibility of a nurse-led in-home cognitive behavioral program to manage concerns about falls in frail older people: A process evaluation. *Research in Nursing & Health.* 2013;36(3):257-70. doi: 10.1002/nur.21534.
39. Downey PA, Perry SB, Anderson JM. Screening Postmenopausal Women for Fall and Fracture Prevention. *Journal of Geriatric Physical Therapy.* 2013;36(3):138-45. doi: 10.1519/JPT.0b013e31827bc497.
40. Duerksen R, Limburg H, Lansingh VC, et al. Review of blindness and visual impairment in Paraguay: changes between 1999 and 2011. *Ophthalmic Epidemiology.* 2013 Oct;20(5):301-7. doi: <http://dx.doi.org/10.3109/09286586.2013.821497>.
41. Duffin C. Exercise scheme reduces risk of falls. *Nursing Standard.* 2012;27(5):8-.
42. Duffy A. The development of evidenced-based falls assessment in Ireland. *Nursing & Residential Care.* 2013;15(6):421-5.
43. El-Khoury F, Cassou B, Charles M-A, et al. The effect of fall prevention exercise programmes on fall induced injuries in community dwelling older adults. *British Journal of Sports Medicine.* 2015;49(20):1348-. doi: 10.1136/bmj.f6234.
44. Fairhall N, Aggar C, Kurrle SE, et al. Frailty intervention trial (FIT). *BMC Geriatr.* 2008;8(1):27.
45. Fairhall N, Kurrle SE, Sherrington C, et al. Effectiveness of a multifactorial intervention on preventing development of frailty in pre-frail older people: study protocol for a randomised controlled trial. *BMJ Open.* 2015;5(2):e007091. doi: <http://dx.doi.org/10.1136/bmjopen-2014-007091>.

46. Fairhall N, Sherrington C, Kurrle SE, et al. Economic evaluation of a multifactorial, interdisciplinary intervention versus usual care to reduce frailty in frail older people. *Journal of the American Medical Directors Association*. 2015 Jan;16(1):41-8. doi: <http://dx.doi.org/10.1016/j.jamda.2014.07.006>.
47. Fairhall N, Sherrington C, Lord S, et al. A multifactorial interdisciplinary intervention reduces frailty, increases function and is cost-effective in older adults who are frail: Randomised controlled trial. *Physiotherapy (United Kingdom)*; 2015. p. eS371-eS2.
48. Fletcher AE, Jones DA, Bulpitt CJ, et al. The MRC trial of assessment and management of older people in the community: objectives, design and interventions [ISRCTN23494848]. *BMC Health Serv Res*. 2002 Oct 25;2(1):21. PMID: 12398790.
49. Frese T, Hein S, Sandholzer H. Feasibility, understandability, and usefulness of the STEP self-rating questionnaire: results of a cross-sectional study. *Clinical Interventions In Aging*. 2013;8:515-21. doi: <http://dx.doi.org/10.2147/CIA.S41826>.
50. Ganz DA, Kim SB, Zingmond DS, et al. Effect of a falls quality improvement program on serious fall-related injuries. *Journal of the American Geriatrics Society*. 2015 Jan;63(1):63-70. doi: <http://dx.doi.org/10.1111/jgs.13154>.
51. Ghasemi M, RezaeiDehaghani A, Mehrabi T. Investigating the effect of education based on need to prevent falling during activities of daily living among the elderlies referring to health centers of Isfahan. *Iranian Journal of Nursing and Midwifery Research*. 2016 Jul-Aug;21(4):430-5. doi: <http://dx.doi.org/10.4103/1735-9066.185599>.
52. Gladman J, Edmans J. Acute Medical Unit Comprehensive Geriatric Assessment Intervention Study (AMIGOS). UK Clinical Research Network (UKCRN) (available At: <Http://public.ukcrn.org.uk>); 2012.
53. Gunner-Svensson F, Ipsen J, Olsen J, et al. Prevention of relocation of the aged in nursing homes. *Scand J Prim Health Care*. 1984 May;2(2):49-56. PMID: 6544449.
54. Gustafson DH, Sr., McTavish F, Gustafson DH, Jr., et al. The effect of an information and communication technology (ICT) on older adults' quality of life: study protocol for a randomized control trial. *Trials [Electronic Resource]*. 2015;16:191. doi: <http://dx.doi.org/10.1186/s13063-015-0713-2>.
55. Gustafsson S, Lood Q, Wilhelmson K, et al. A person-centred approach to health promotion for persons 70+ who have migrated to Sweden: promoting aging migrants' capabilities implementation and RCT study protocol. *BMC Geriatrics*. 2015;15:10. doi: <http://dx.doi.org/10.1186/s12877-015-0005-4>.
56. Hanger HC, Sainsbury R. Screening the elderly: a Christchurch study. *N Z Med J*. 1990 Oct 10;103(899):473-5. PMID: 2216130.
57. Hay WI, van Ineveld C Fau - Browne G, Browne G Fau - Roberts J, et al. Prospective care of elderly patients in family practice. Is screening effective? 19990120 DCOM- 19990120(0008-350X (Print))doi: D - NLM: PMC2277795 EDAT- 1998/12/31 MHDA- 1998/12/31 00:01 CRDT- 1998/12/31 00:00 PST - ppublish.
58. Hill E, Fauerbach LA. Falls and Fall Prevention in Older Adults. *Journal of Legal Nurse Consulting*. 2014 Summer2014;25(2):24-9.
59. Hookway LA, Frazier M, Rivera N, et al. Population-based study of presbyopia in Nicaragua. *Clinical & Experimental Optometry*. 2016 Jul 10;10:10. doi: <http://dx.doi.org/10.1111/cxo.12402>.
60. Jamous KF, Jalbert I, Kalloniatis M, et al. Australian general medical practitioner referral pathways for people with different ocular conditions. *Clinical & Experimental Optometry*. 2014 Mar;97(2):152-9. doi: <http://dx.doi.org/10.1111/cxo.12102>.
61. Jansen S, Schoe J, van Rijn M, et al. Factors associated with recognition and prioritization for falling, and the effect on fall incidence in community dwelling older adults. *BMC Geriatrics*. 2015;15:169. doi: <http://dx.doi.org/10.1186/s12877-015-0165-2>.
62. Johnson M, Kelly L, Siric K, et al. Improving falls risk screening and prevention using an e-learning approach. *Journal of Nursing Management*. 2015;23(7):910-9. doi: 10.1111/jonm.12234.

63. Kallstrand-Eriksson J, Baigi A, Buer N, et al. Perceived vision-related quality of life and risk of falling among community living elderly people. *Scandinavian Journal of Caring Sciences*. 2013 Jun;27(2):433-9. doi: <http://dx.doi.org/10.1111/j.1471-6712.2012.01053.x>.
64. Kallstrand-Eriksson J, Hildingh C, Bengtsson B. History of falling and visual ability among independently living elderly in Sweden. *Clinical Ophthalmology*. 2016;10:1265-73. doi: <http://dx.doi.org/10.2147/OPTH.S101060>.
65. Kim E, Park YK, Byun YH, et al. Influence of aging on visual perception and visual motor integration in Korean adults. *Journal of Exercise Rehabilitation*. 2014 Aug;10(4):245-50. doi: <http://dx.doi.org/10.12965/jer.140147>.
66. Kono A, Izumi K, Kanaya Y, et al. Assessing the quality and effectiveness of an updated preventive home visit programme for ambulatory frail older Japanese people: research protocol for a randomized controlled trial. *Journal of Advanced Nursing*. 2014 Oct;70(10):2363-72. doi: <http://dx.doi.org/10.1111/jan.12390>.
67. Kopplin LJ, Mansberger SL. Predictive value of screening tests for visually significant eye disease. *American Journal of Ophthalmology*. 2015 Sep;160(3):538-46.e3. doi: <http://dx.doi.org/10.1016/j.ajo.2015.05.033>.
68. Kwan MMS, Lin S.I, Close JCT, et al. Depressive symptoms in addition to visual impairment, reduced strength and poor balance predict falls in older Taiwanese people. *Age and Ageing*. 2012 September;41(5):606-12. doi: <http://dx.doi.org/10.1093/ageing/afs065>.
69. Lam BL, Christ SL, Zheng DD, et al. Longitudinal relationships among visual acuity and tasks of everyday life: the Salisbury Eye Evaluation study. *Investigative Ophthalmology & Visual Science*. 2013 Jan;54(1):193-200. doi: <http://dx.doi.org/10.1167/iovs.12-10542>.
70. Langdon R, Johnson M, Carroll V, et al. Assessment of the elderly: it's worth covering the risks. *Journal of Nursing Management*. 2013;21(1):94-105. doi: [10.1111/j.1365-2834.2012.01421.x](http://dx.doi.org/10.1111/j.1365-2834.2012.01421.x).
71. Langeland E, Tuntland H, Forland O, et al. Study protocol for a multicenter investigation of reablement in Norway.[Erratum appears in *BMC Geriatr*. 2015;15:120 Note: Langeland, Eva [corrected to Langeland, Eva]; PMID: 26453340]. *BMC Geriatrics*. 2015;15:111. doi: <http://dx.doi.org/10.1186/s12877-015-0108-y>.
72. Legg L, Gladman J, Drummond A, et al. A systematic review of the evidence on home care reablement services. *Clinical Rehabilitation*. 2016 Aug;30(8):741-9. doi: <http://dx.doi.org/10.1177/0269215515603220>.
73. Li Z, Changshui W, Yao H. Effects of different interventions on falls and falls-related functional factors in veteran elderly: A pilot randomized controlled trial. *Annals of physical and rehabilitation medicine*; 2014. p. e153.
74. Lindfield R, Griffiths U, Bozzani F, et al. A rapid assessment of avoidable blindness in Southern Zambia. *PLoS ONE [Electronic Resource]*. 2012;7(6):e38483. doi: <http://dx.doi.org/10.1371/journal.pone.0038483>.
75. Lorig K, Ritter PL, Plant K, et al. The South Australia health chronic disease self-management Internet trial. *Health Education & Behavior*. 2013 Feb;40(1):67-77. doi: <http://dx.doi.org/10.1177/1090198112436969>.
76. Markle-Reid M, Browne G, Gafni A. Nurse-led health promotion interventions improve quality of life in frail older home care clients: lessons learned from three randomized trials in Ontario, Canada. *Journal of Evaluation in Clinical Practice*. 2013 Feb;19(1):118-31. doi: <http://dx.doi.org/10.1111/j.1365-2753.2011.01782.x>.
77. McGill N. Public Health Prevention: Vision Health Gains Attention as Nation's Population Ages. *American Journal of Public Health*. 2016;106(7):1159-. doi: [10.2105/ajph.2016.303267](http://dx.doi.org/10.2105/ajph.2016.303267).
78. McWilliam CL, Vingilis E, Ward-Griffin C, et al. An evaluation of the effectiveness of engaging Canadian clients as partners in in-home care. *Health & Social Care in the Community*. 2014 Mar;22(2):210-24. doi: <http://dx.doi.org/10.1111/hsc.12082>.

79. Mehrotra A, An R, Patel DN, et al. Impact of a patient incentive program on receipt of preventive care. *American Journal of Managed Care*. 2014 Jun;20(6):494-501.
80. Melillo P, Orrico A, Attanasio M, et al. A pilot study for development of a novel tool for clinical decision making to identify fallers among ophthalmic patients. *BMC Medical Informatics & Decision Making*. 2015;15 Suppl 3:S6. doi: <http://dx.doi.org/10.1186/1472-6947-15-S3-S6>.
81. Metzelthin SF, Bleijenberg N, Blom JW, et al. Primary care strategies to maintain independence of frail older people: Looking for evidence across borders. *European Geriatric Medicine*; 2014. p. S31-s2.
82. Mikolaizak AS, Simpson PM, Tiedemann A, et al. Intervention to prevent further falls in older people who call an ambulance as a result of a fall: a protocol for the iPREFER randomised controlled trial. *BMC Health Services Research*. 2013;13:360. doi: <http://dx.doi.org/10.1186/1472-6963-13-360>.
83. Miller DK, Lewis LM, Nork MJ, et al. Controlled trial of a geriatric case-finding and liaison service in an emergency department. *J Am Geriatr Soc*. 1996 May;44(5):513-20. PMID: 8617898.
84. Moniz-Pereira V, Carnide F, Machado M, et al. Falls in Portuguese older people: procedures and preliminary results of the study Biomechanics of Locomotion in the Elderly. *Acta Reumatologica Portuguesa*. 2012 Oct-Dec;37(4):324-32.
85. Morris R, Brand C, Hill KD, et al. RESPOND-a patient-centred program to prevent secondary falls in older people presenting to the emergency department with a fall: Protocol for a program evaluation. *EMA - Emergency Medicine Australasia*; 2015. p. 43.
86. Morris RL, Brand CA, Hill KD, et al. RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall-protocol for a mixed methods programme evaluation. *Injury Prevention*. 2016 Apr;22(2):153-60. doi: <http://dx.doi.org/10.1136/injuryprev-2014-041453>.
87. Muntinga ME, Hoogendijk EO, van Leeuwen KM, et al. Implementing the chronic care model for frail older adults in the Netherlands: study protocol of ACT (frail older adults: care in transition). *BMC Geriatrics*. 2012;12:19. doi: <http://dx.doi.org/10.1186/1471-2318-12-19>.
88. Murphy K, Lowe S. Improving Fall Risk Assessment in Home Care. *Home Healthcare Nurse*. 2013;31(7):389-96. doi: 10.1097/NHH.0b013e3182977cdc.
89. Narirat J, Sirirat C, Thanomkwan T, et al. Action Research Development of a Fall Prevention Program for Thai Community-dwelling Older Persons. *Pacific Rim International Journal of Nursing Research*. 2015;19(1):69-78.
90. Nicolaides-Bouman A, van Rossum E, Habets H, et al. Home visiting programme for older people with health problems: process evaluation. *J Adv Nurs*. 2007 Jun;58(5):425-35. doi: 10.1111/j.1365-2648.2007.04235.x. PMID: 17442032.
91. Nicolaides-Bouman A, van Rossum E, Kempen GI, et al. Effects of home visits by home nurses to elderly people with health problems: design of a randomised clinical trial in the Netherlands [ISRCTN92017183]. *BMC Health Serv Res*. 2004 Dec 15;4(1):35. doi: 10.1186/1472-6963-4-35. PMID: 15601473.
92. Nykanen I, Rissanen TH, Sulkava R, et al. Effects of individual dietary counseling as part of a comprehensive geriatric assessment (CGA) on nutritional status: a population-based intervention study. *Journal of Nutrition, Health & Aging*. 2014 Jan;18(1):54-8. doi: <http://dx.doi.org/10.1007/s12603-013-0342-y>.
93. okayTaiwo OA, Beki-bele CO, Adeoye AO, et al. Prevalence and pattern of eye disorders among commercial motorcycle riders in Ile-Ife, Osun state. *Nigerian Postgraduate Medical Journal*. 2014 Sep;21(3):255-61.
94. Owsley C, McGwin G, Jr., Searcey K. A population-based examination of the visual and ophthalmological characteristics of licensed drivers aged 70 and older. *Journals of Gerontology Series A-Biological Sciences & Medical Sciences*. 2013 May;68(5):567-73. doi: <http://dx.doi.org/10.1093/gerona/gls185>.

95. Pacini M, Smith RD, Wilson EC, et al. Home-based medication review in older people: is it cost effective? *Pharmacoeconomics*. 2007;25(2):171-80. PMID: 17249858.
96. Palvanen M, Kannus P, Piirtola M, et al. The chaos falls clinic in preventing falls and injuries among home-dwelling older adults: A randomised controlled trial. *Osteoporosis International*; 2012. p. S140.
97. Parsons M, Senior H, Mei-Hu Chen X, et al. Assessment without action; a randomised evaluation of the interRAI home care compared to a national assessment tool on identification of needs and service provision for older people in New Zealand. *Health & Social Care in the Community*. 2013 Sep;21(5):536-44. doi: <http://dx.doi.org/10.1111/hsc.12045>.
98. Parsons M, Senior HE, Kerse N, et al. The Assessment of Services Promoting Independence and Recovery in Elders Trial (ASPIRE): a pre-planned meta-analysis of three independent randomised controlled trial evaluations of ageing in place initiatives in New Zealand. *Age & Ageing*. 2012 Nov;41(6):722-8. doi: <http://dx.doi.org/10.1093/ageing/afs113>.
99. Peeters GM, de Vries OJ, Elders PJ, et al. Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. *BMC Geriatr*. 2007;7:15. doi: 10.1186/1471-2318-7-15. PMID: 17605771.
100. Perry M. Ageing and the eyes: preventing vision loss. *Practice Nursing*. 2014;25(8):387-90.
101. Pighills A, Ballinger C, Pickering R, et al. A critical review of the effectiveness of environmental assessment and modification in the prevention of falls amongst community dwelling older people. *British Journal of Occupational Therapy*. 2016;79(3):133-43. doi: 10.1177/0308022615600181.
102. Quinn T. Review: Evidence is insufficient to determine the risk-benefit ratio for vision acuity screening in older adults. *ACP Journal Club*. 2016;164(12):1-.
103. Rabiou MM, Jenf M, Fituri S, et al. Prevalence and causes of visual impairment and blindness, cataract surgical coverage and outcomes of cataract surgery in Libya. *Ophthalmic Epidemiology*. 2013;20(1):26-32. doi: <http://dx.doi.org/10.3109/09286586.2012.746994>.
104. Ramani L, Furmedge DS, Reddy SPH. Comprehensive geriatric assessment. *British Journal of Hospital Medicine (17508460)*. 2014:C122-5.
105. Reider NC, Naylor P-J, Gaul C. Sensitivity and Specificity of the Minimal Chair Height Standing Ability Test: A Simple and Affordable Fall-Risk Screening Instrument. *Journal of Geriatric Physical Therapy*. 2015;38(2):90-5. doi: 10.1519/jpt.000000000000025.
106. Reuben DB, Ganz DA, Roth CP, et al. Effect of nurse practitioner comanagement on the care of geriatric conditions. *Journal of the American Geriatrics Society*. 2013 Jun;61(6):857-67. doi: <http://dx.doi.org/10.1111/jgs.12268>.
107. Ribeiro de Paula G, Nogueira de Souza B, Ferreira Santos L, et al. Quality of life assessment for health promotion groups. *Revista Brasileira de Enfermagem*. 2016;69(2):222-9. doi: 10.1590/0034-7167.2016690206i.
108. Rim TH, Nam JS, Choi M, et al. Prevalence and risk factors of visual impairment and blindness in Korea: the Fourth Korea National Health and Nutrition Examination Survey in 2008-2010. *Acta Ophthalmologica*. 2014 Jun;92(4):e317-25. doi: <http://dx.doi.org/10.1111/aos.12355>.
109. Robichaud L, Hebert R, Roy PM, et al. A preventive program for community-dwelling elderly at risk of functional decline: a pilot study. *Arch Gerontol Geriatr*. 2000 Jan-Feb;30(1):73-84. PMID: 15374051.
110. Robinson B, Feng Y, Woods CA, et al. Prevalence of visual impairment and uncorrected refractive error - report from a Canadian urban population-based study. *Ophthalmic Epidemiology*. 2013 Jun;20(3):123-30. doi: <http://dx.doi.org/10.3109/09286586.2013.789915>.

111. Rokicki W, Drozdowska B, Czekajlo A, et al. Common ophthalmic problems of urban and rural postmenopausal women in a population sample of Raciborz district, a RAC-OST-POL Study. *Annals of Agricultural & Environmental Medicine*. 2014;21(1):70-4.
112. Romera L, Orfila F, Segura JM, et al. Effectiveness of a primary care based multifactorial intervention to improve frailty parameters in the elderly: a randomised clinical trial: rationale and study design. *BMC Geriatrics*. 2014;14:125. doi: <http://dx.doi.org/10.1186/1471-2318-14-125>.
113. Rubenstein LZ, Josephson KR, Nichol-Seamons M, et al. Comprehensive health screening of well elderly adults: an analysis of a community program. *J Gerontol*. 1986 May;41(3):342-52. PMID: 3700984.
114. Ruikes FG, Meys AR, van de Wetering G, et al. The CareWell-primary care program: design of a cluster controlled trial and process evaluation of a complex intervention targeting community-dwelling frail elderly. *BMC Family Practice*. 2012;13:115. doi: <http://dx.doi.org/10.1186/1471-2296-13-115>.
115. Ruikes FG, Zuidema SU, Akkermans RP, et al. Multicomponent Program to Reduce Functional Decline in Frail Elderly People: A Cluster Controlled Trial. *Journal of the American Board of Family Medicine: JABFM*. 2016 Mar-Apr;29(2):209-17. doi: <http://dx.doi.org/10.3122/jabfm.2016.02.150214>.
116. Russo A, Bowen D. Visual impairment: setting sights on an independent life. *Nursing & Residential Care*. 2013;15(1):38-40.
117. Saccomano SJ, Ferrara LR. Fall prevention in older adults. *Nurse Practitioner*. 2015;40(6):40-7. doi: 10.1097/01.NPR.0000465117.19783.ee.
118. Schrodtt LA, Garbe KC, Shubert TE. Trained Community Providers Conduct Fall Risk Screenings With Fidelity: An Effective Model for Expanding Reach. *Health Promotion Practice*. 2014;15(4):599-607. doi: 10.1177/1524839913514752.
119. Schubert CC, Myers LJ, Allen K, et al. Implementing Geriatric Resources for Assessment and Care of Elders Team Care in a Veterans Affairs Medical Center: Lessons Learned and Effects Observed. *Journal of the American Geriatrics Society*. 2016 Jul;64(7):1503-9. doi: <http://dx.doi.org/10.1111/jgs.14179>.
120. Sheerin L. Screening for falls. *Emergency Nurse*. 2015;23(3):11-. doi: 10.7748/en.23.3.11.s12.
121. Sherrington C, Fairhall N, Kirkham C, et al. Exercise and fall prevention self-management to reduce mobility-related disability and falls after fall-related lower limb fracture in older people: protocol for the RESTORE (Recovery Exercises and STEpping On after fracture) randomised controlled trial. *BMC Geriatrics*. 2016;16:34. doi: <http://dx.doi.org/10.1186/s12877-016-0206-5>.
122. Snooks H, Anthony R, Chatters R, et al. Support and assessment for fall emergency referrals (SAFER 2) research protocol: cluster randomised trial of the clinical and cost effectiveness of new protocols for emergency ambulance paramedics to assess and refer to appropriate community-based care. *BMJ Open*. 2012;2(6)doi: <http://dx.doi.org/10.1136/bmjopen-2012-002169>.
123. Sommers LS, Marton KI, Barbaccia JC, et al. Physician, nurse, and social worker collaboration in primary care for chronically ill seniors. *Arch Intern Med*. 2000 Jun 26;160(12):1825-33. PMID: 10871977.
124. Sorensen KH, Sivertsen J. Follow-up three years after intervention to relieve unmet medical and social needs of old people. *Compr Gerontol B*. 1988 Aug;2(2):85-91. PMID: 3228801.
125. Sprange K, Mountain GA, Brazier J, et al. Lifestyle Matters for maintenance of health and wellbeing in people aged 65 years and over: study protocol for a randomised controlled trial. *Trials [Electronic Resource]*. 2013;14:302. doi: <http://dx.doi.org/10.1186/1745-6215-14-302>.
126. Stenhagen M, Ekstrom H, Nordell E, et al. Falls in the general elderly population: a 3- and 6- year prospective study of risk factors using data from the longitudinal population study 'Good ageing in Skane'. *BMC Geriatrics*. 2013;13:81. doi: <http://dx.doi.org/10.1186/1471-2318-13-81>.



127. Stijnen MM, Duimel-Peeters IG, Jansen MW, et al. Early detection of health problems in potentially frail community-dwelling older people by general practices--project [G]OLD: design of a longitudinal, quasi-experimental study. *BMC Geriatrics*. 2013;13:7. doi: <http://dx.doi.org/10.1186/1471-2318-13-7>.
128. Stuck AE, Kharicha K, Dapp U, et al. The PRO-AGE study: an international randomised controlled study of health risk appraisal for older persons based in general practice. *BMC medical research methodology*. 2007;7(1):1.
129. Suijker JJ, Buurman BM, ter Riet G, et al. Comprehensive geriatric assessment, multifactorial interventions and nurse-led care coordination to prevent functional decline in community-dwelling older persons: protocol of a cluster randomized trial. *BMC Health Services Research*. 2012;12:85. doi: <http://dx.doi.org/10.1186/1472-6963-12-85>.
130. Szanton SL, Wolff JW, Leff B, et al. CAPABLE trial: a randomized controlled trial of nurse, occupational therapist and handyman to reduce disability among older adults: rationale and design. *Contemporary Clinical Trials*. 2014 May;38(1):102-12. doi: <http://dx.doi.org/10.1016/j.cct.2014.03.005>.
131. Tan PJ, Khoo EM, Saedon NI, et al. 105 A RANDOMISED CONTROLLED STUDY ON INDIVIDUALLY-TAILORED MULTIFACTORIAL FALLS INTERVENTION IN OLDER FALLERS IN MALAYSIA. *Age & Ageing*. 2014;43(suppl\_1):i29-i.
132. Tatsuya H, Shigeru I, Nobuo M, et al. A Modified Fall Risk Assessment Tool That Is Specific to Physical Function Predicts Falls in Community-Dwelling Elderly People. *Journal of Geriatric Physical Therapy*. 2014;37(4):159-65. doi: 10.1519/JPT.0b013e3182abe7cb.
133. Teeranut H, Borwarnluck T, Parinya R. The Effects of a Physical Activity Program for Fall Prevention among Thai Older Adults. *Pacific Rim International Journal of Nursing Research*. 2015;19(1):4-18.
134. Theander E, Edberg AK. Preventive home visits to older people in Southern Sweden. *Scand J Public Health*. 2005;33(5):392-400. PMID: 16267888.
135. Tiedemann A, Paul S, Ramsay E, et al. What is the effect of a combined physical activity and fall prevention intervention enhanced with health coaching and pedometers on older adults' physical activity levels and mobility-related goals? Study protocol for a randomised controlled trial. *BMC Public Health*. 2015;15:477. doi: <http://dx.doi.org/10.1186/s12889-015-1380-7>.
136. Tinetti ME, Baker DI, Garrett PA, et al. Yale FICSIT: risk factor abatement strategy for fall prevention. *J Am Geriatr Soc*. 1993 Mar;41(3):315-20. PMID: 8440856.
137. Tuunainen E, Jantti P, Pyykko I, et al. Intervention to prevent falls in elderly adults living in a residential home. *Journal of the American Geriatrics Society*. 2013 Aug;61(8):1426-7. doi: <http://dx.doi.org/10.1111/jgs.12395>.
138. U.S. Preventive Services Task Force. Screening for Impaired Visual Acuity in Older Adults: Recommendation Statement. Skokie, Illinois: American Academy of Family Physicians; 2016. p. 1024A-C.
139. van Hout HP, Nijpels G Fau - van Marwijk HWJ, van Marwijk Hw Fau - Jansen APD, et al. Design and pilot results of a single blind randomized controlled trial of systematic demand-led home visits by nurses to frail elderly persons in primary care [ISRCTN05358495]. 2003 20051006 DCOM- 20060614(1471-2318 (Electronic))doi: D - NLM: PMC1242228 EDAT- 2005/09/10 09:00 MHDA- 2006/06/15 09:00 CRDT- 2005/09/10 09:00 PHST- 2005/05/31 [received] PHST- 2005/09/08 [accepted] AID - 1471-2318-5-11 [pii] AID - 10.1186/1471-2318-5-11 [doi] PST - epublish.
140. Wells M, Wade M. Physical performance measures: An important component of the comprehensive geriatric assessment. *Nurse Practitioner*. 2013;38(6):48-53. doi: 10.1097/01 .NPR.0000429895.41373.7e.
141. Whitney SL, Marchetti GF, Ellis JL, et al. Improvements in Balance in Older Adults Engaged in a Specialized Home Care Falls Prevention Program. *Journal of Geriatric Physical Therapy*. 2013;36(1):3-12. doi: 10.1519/JPT.0b013e3182550ea5.
142. Wilkinson-Meyers L, Brown P, McLean C, et al. Met and unmet need for personal assistance among community-dwelling New Zealanders 75 years and over. *Health & Social Care in the Community*. 2014 May;22(3):317-27. doi: <http://dx.doi.org/10.1111/hsc.12087>.

143. Withey MB, Breault A. A Home Healthcare and School of Pharmacy Partnership to Reduce Falls. *Home Healthcare Nurse*. 2013;31(6):295-302. doi: 10.1097/NHH.0b013e318294787c.
144. Wittich W, Barstow EA, Jarry J, et al. Screening for sensory impairment in older adults: Training and practice of occupational therapists in Quebec. *Canadian Journal of Occupational Therapy*. 2015;82(5):283-93. doi: 10.1177/0008417415573076.
145. Wong KC, Wong FK, Chang KK. Health-social partnership intervention programme for community-dwelling older adults: a research protocol for a randomized controlled trial. *Journal of Advanced Nursing*. 2015 Nov;71(11):2673-85. doi: <http://dx.doi.org/10.1111/jan.12700>.
146. Wrede J, Voigt I, Bleidorn J, et al. Complex health care decisions with older patients in general practice: patient-centeredness and prioritization in consultations following a geriatric assessment. *Patient Education & Counseling*. 2013 Jan;90(1):54-60. doi: <http://dx.doi.org/10.1016/j.pec.2012.07.015>.
147. Wu TY, Chie WC, Yang RS, et al. Risk factors for single and recurrent falls: a prospective study of falls in community dwelling seniors without cognitive impairment. *Preventive Medicine*. 2013 Nov;57(5):511-7. doi: <http://dx.doi.org/10.1016/j.ypmed.2013.07.012>.
148. Wyman JF, Croghan CF, Nachreiner NM, et al. Effectiveness of education and individualized counseling in reducing environmental hazards in the homes of community-dwelling older women. *J Am Geriatr Soc*. 2007 Oct;55(10):1548-56. doi: 10.1111/j.1532-5415.2007.01315.x. PMID: 17908058.
149. Yao Y, Shao J, Sun W, et al. Prevalence of blindness and causes of visual impairment among adults aged 50 years or above in southern. Jiangsu Province of China. *Pakistan Journal of Medical Sciences*. 2013 Sep;29(5):1203-7.
150. Zhu RR, Shi J, Yang M, et al. Prevalences and causes of vision impairment in elderly Chinese: a socioeconomic perspective of a comparative report nested in Jiangsu Eye Study. *International Journal of Ophthalmology*. 2016;9(7):1051-6. doi: <http://dx.doi.org/10.18240/ijo.2016.07.19>.
151. Zijlstra GA, van Haastregt JC, Du Moulin MF, et al. Effects of the implementation of an evidence-based program to manage concerns about falls in older adults. *Gerontologist*. 2013 Oct;53(5):839-49. doi: <http://dx.doi.org/10.1093/geront/gns142>.
152. Zozula A, Carpenter CR, Lipsey K, et al. Prehospital emergency services screening and referral to reduce falls in community-dwelling older adults: a systematic review. *Emergency Medicine Journal*. 2016 May;33(5):345-50. doi: <http://dx.doi.org/10.1136/emermed-2015-204815>.
153. Kono A, Fujita T, Tsumura C, et al. Preventive home visit model targeted to specific care needs of ambulatory frail elders: preliminary report of a randomized trial design. *Aging Clin Exp Res*. 2009 Apr;21(2):167-73. PMID: 19448389.
154. Newbury JW. 75+ Health assessments: a randomised controlled trial; 2001.
155. Hawranik P. Testing the Effectiveness of a Vision Care Program on Falls, Fractures and Quality of Life. *Misericordia Health Centre*.
156. McGraw C, Déry L, Wittich W. Falls prevention through the visual impairment detection program. *Insight: Research and Practice in Visual Impairment and Blindness*. 2011;4(2):74-82.
157. Quebec Gd. La prevention des chutes dans un continuum de services pour les anise vivant a domicile: Cadre de reference. . <http://publications.msss.gouv.qc.ca/acrobat/f/documentation/2004/04-232-01.pdf>. 2004.

## Population

158. Aveiro MC, Driusso P, Santos JG, et al. Effects of a physical therapy program on quality of life among community-dwelling elderly women: randomized-controlled trial. *Fisioterapia em Movimento*; 2013.

159. Blom J, Elzen WD, Houwelingen Anne HV, et al. Effectiveness and cost-effectiveness of a proactive, goal-oriented, integrated care model in general practice for older people. A cluster randomised controlled trial: Integrated systematic care for older people-the ISCOPE study. *Age and Ageing*. 2016 01 Jan;45(1):30-41. doi: <http://dx.doi.org/10.1093/ageing/afv174>.
160. Campbell AJ, Robertson MC, La Grow SJ, et al. Randomised controlled trial of prevention of falls in people aged > or =75 with severe visual impairment: the VIP trial. *BMJ*. 2005 Oct 8;331(7520):817. doi: 10.1136/bmj.38601.447731.55. PMID: 16183652.
161. Caplan GA, Williams AJ, Daly B, et al. A randomized, controlled trial of comprehensive geriatric assessment and multidisciplinary intervention after discharge of elderly from the emergency department--the DEED II study. *J Am Geriatr Soc*. 2004 Sep;52(9):1417-23. doi: 10.1111/j.1532-5415.2004.52401.x. PMID: 15341540.
162. Church JL, Haas MR, Goodall S. Cost Effectiveness of Falls and Injury Prevention Strategies for Older Adults Living in Residential Aged Care Facilities. *Pharmacoeconomics*. 2015 Dec;33(12):1301-10. doi: <http://dx.doi.org/10.1007/s40273-015-0313-8>.
163. Ciaschini PM, Straus SE, Dolovich LR, et al. Community-based intervention to optimise falls risk management: a randomised controlled trial. *Age Ageing*. 2009 Nov;38(6):724-30. doi: 10.1093/ageing/afp176. PMID: 19767629.
164. Clemson L, Cumming Rg Fau - Kendig H, Kendig H Fau - Swann M, et al. The effectiveness of a community-based program for reducing the incidence of falls in the elderly: a randomized trial. 20040902 DCOM- 20041007(0002-8614 (Print)).
165. Close J, Ellis M, Hooper R, et al. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet*. 1999 Jan 9;353(9147):93-7. doi: 10.1016/s0140-6736(98)06119-4. PMID: 10023893.
166. Dan A, Raubvogel G, Chen T, et al. The Impact of Multimedia Education on Uptake of Comprehensive Eye Examinations in Rural China: A Randomized, Controlled Trial. *Ophthalmic Epidemiology*. 2015;22(4):283-90. doi: <http://dx.doi.org/10.3109/09286586.2015.1056812>.
167. Davison J, Bond J, Dawson P, et al. Patients with recurrent falls attending Accident & Emergency benefit from multifactorial intervention--a randomised controlled trial. *Age Ageing*. 2005 Mar;34(2):162-8. doi: 10.1093/ageing/afi053. PMID: 15716246.
168. de Vries OJ, Elders PJ, Muller M, et al. Multifactorial intervention to reduce falls in older people at high risk of recurrent falls: a randomized controlled trial. *Arch Intern Med*. 2010;170(13):1110-7.
169. Dickson G, Chesser A, Woods NK, et al. Time required for screening for visual impairment in primary care: a randomized comparison of 3 common visual tests. *Journal of Primary Care & Community Health*. 2012 Jul 1;3(3):174-9. doi: <http://dx.doi.org/10.1177/2150131911429824>.
170. Elley CR, Robertson MC, Garrett S, et al. Effectiveness of a falls-and-fracture nurse coordinator to reduce falls: a randomized, controlled trial of at-risk older adults. *J Am Geriatr Soc*. 2008 Aug;56(8):1383-9. doi: 10.1111/j.1532-5415.2008.01802.x. PMID: 18808597.
171. Elley CR, Robertson MC, Kerse NM, et al. Falls Assessment Clinical Trial (FACT): design, interventions, recruitment strategies and participant characteristics. *BMC Public Health*. 2007;7:185. doi: 10.1186/1471-2458-7-185. PMID: 17662156.
172. Enguidanos S, Gibbs N, Jamison P. From hospital to home: a brief nurse practitioner intervention for vulnerable older adults. *Journal of Gerontological Nursing*. 2012 Mar;38(3):40-50. doi: <http://dx.doi.org/10.3928/00989134-20120116-01>.
173. Foo CL, Siu VW, Ang H, et al. Risk stratification and rapid geriatric screening in an emergency department - a quasi-randomised controlled trial. *BMC Geriatrics*. 2014;14:98. doi: <http://dx.doi.org/10.1186/1471-2318-14-98>.
174. Freiberger E, Blank WA, Salb J, et al. Effects of a complex intervention on fall risk in the general practitioner setting: a cluster randomized controlled trial. *Clinical Interventions In Aging*. 2013;8:1079-88. doi: <http://dx.doi.org/10.2147/CIA.S46218>.
175. Gallagher EM, Brunt H. Head over heels: Impact of a health promotion program to reduce falls in the elderly. *Canadian Journal on Aging/La Revue canadienne du vieillissement*. 1996;15(01):84-96.

176. Gitlin LN, Hauck WW, Dennis MP, et al. Long-term effect on mortality of a home intervention that reduces functional difficulties in older adults: results from a randomized trial. *J Am Geriatr Soc*. 2009 Mar;57(3):476-81. doi: 10.1111/j.1532-5415.2008.02147.x. PMID: 19187417.
177. Gitlin LN, Hauck WW, Winter L, et al. Effect of an in-home occupational and physical therapy intervention on reducing mortality in functionally vulnerable older people: preliminary findings. *J Am Geriatr Soc*. 2006 Jun;54(6):950-5. doi: 10.1111/j.1532-5415.2006.00733.x. PMID: 16776791.
178. Green J, Forster A, Bogle S, et al. Physiotherapy for patients with mobility problems more than 1 year after stroke: a randomised controlled trial. *Lancet*. 2002 Jan 19;359(9302):199-203. doi: 10.1016/s0140-6736(02)07443-3. PMID: 11812553.
179. Group AHSR, Chew EY, Clemons TE, et al. Randomized trial of a home monitoring system for early detection of choroidal neovascularization home monitoring of the Eye (HOME) study. *Ophthalmology*. 2014 Feb;121(2):535-44. doi: <http://dx.doi.org/10.1016/j.ophtha.2013.10.027>.
180. Hendriks MR, Bleijlevens MH, van Haastregt JC, et al. Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. *J Am Geriatr Soc*. 2008 Aug;56(8):1390-7. doi: 10.1111/j.1532-5415.2008.01803.x. PMID: 18662214.
181. Hogan DB, MacDonald FA, Betts J, et al. A randomized controlled trial of a community-based consultation service to prevent falls. *CMAJ*. 2001 Sep 4;165(5):537-43. PMID: 11563205.
182. Holland R, Lenaghan E, Harvey I, et al. Does home based medication review keep older people out of hospital? The HOMER randomised controlled trial. *BMJ*. 2005 Feb 5;330(7486):293. doi: 10.1136/bmj.38338.674583.AE. PMID: 15665005.
183. Holland R, Lenaghan E, Smith R, et al. Delivering a home-based medication review, process measures from the HOMER randomised controlled trial. *International journal of pharmacy practice*. 2006;14(1):71-9.
184. Junius-Walker U, Wrede J, Voigt I, et al. Impact of a priority-setting consultation on doctor-patient agreement after a geriatric assessment: cluster randomised controlled trial in German general practices. *Quality in Primary Care*. 2012;20(5):321-34.
185. Kingston P, Jones M, Lally F, et al. Older people and falls: A randomized controlled trial of a health visitor (HV) intervention. *Reviews in Clinical Gerontology*. 2001;11(03):209-14.
186. La Grow SJ, Robertson MC, Campbell AJ, et al. Reducing hazard related falls in people 75 years and older with significant visual impairment: how did a successful program work? *Inj Prev*. 2006 Oct;12(5):296-301. doi: 10.1136/ip.2006.012252. PMID: 17018669.
187. Lee HC, Chang KC, Tsauo JY, et al. Effects of a multifactorial fall prevention program on fall incidence and physical function in community-dwelling older adults with risk of falls. *Archives of Physical Medicine & Rehabilitation*. 2013 Apr;94(4):606-15, 15.e1. doi: <http://dx.doi.org/10.1016/j.apmr.2012.11.037>.
188. Lenaghan E, Holland R, Brooks A. Home-based medication review in a high risk elderly population in primary care--the POLYMED randomised controlled trial. *Age Ageing*. 2007 May;36(3):292-7. doi: 10.1093/ageing/afm036. PMID: 17387123.
189. Li Y, Liebel DV, Friedman B. An investigation into which individual instrumental activities of daily living are affected by a home visiting nurse intervention. *Age & Ageing*. 2013 Jan;42(1):27-33. doi: <http://dx.doi.org/10.1093/ageing/afs151>.
190. Lightbody E, Watkins C, Leathley M, et al. Evaluation of a nurse-led falls prevention programme versus usual care: a randomized controlled trial. *Age Ageing*. 2002 May;31(3):203-10. PMID: 12006310.
191. Lin MR, Wolf SL, Hwang HF, et al. A randomized, controlled trial of fall prevention programs and quality of life in older fallers. *J Am Geriatr Soc*. 2007 Apr;55(4):499-506. doi: 10.1111/j.1532-5415.2007.01146.x. PMID: 17397426.

192. Liu T, Congdon N, Yan X, et al. A randomized, controlled trial of an intervention promoting cataract surgery acceptance in rural China: the Guangzhou Uptake of Surgery Trial (GUSTO). *Investigative Ophthalmology & Visual Science*. 2012;53(9):5271-8. doi: <http://dx.doi.org/10.1167/iovs.12-9798>.
193. Liu-Ambrose T, Donaldson MG, Ahamed Y, et al. Otago home-based strength and balance retraining improves executive functioning in older fallers: a randomized controlled trial. *J Am Geriatr Soc*. 2008 Oct;56(10):1821-30. doi: 10.1111/j.1532-5415.2008.01931.x. PMID: 18795987.
194. Luukinen H, Lehtola S, Jokelainen J, et al. Prevention of disability by exercise among the elderly: a population-based, randomized, controlled trial. *Scand J Prim Health Care*. 2006 Dec;24(4):199-205. doi: 10.1080/02813430600958476. PMID: 17118858.
195. Luukinen H, Lehtola S, Jokelainen J, et al. Pragmatic exercise-oriented prevention of falls among the elderly: a population-based, randomized, controlled trial. *Prev Med*. 2007 Mar;44(3):265-71. doi: 10.1016/j.ypmed.2006.09.011. PMID: 17174387.
196. Mahoney JE, Shea TA, Przybelski R, et al. Kenosha County falls prevention study: a randomized, controlled trial of an intermediate-intensity, community-based multifactorial falls intervention. *J Am Geriatr Soc*. 2007 Apr;55(4):489-98. doi: 10.1111/j.1532-5415.2007.01144.x. PMID: 17397425.
197. Markle-Reid M, Weir R, Browne G, et al. Health promotion for frail older home care clients. *J Adv Nurs*. 2006 May;54(3):381-95. doi: 10.1111/j.1365-2648.2006.03817.x. PMID: 16629922.
198. Noble N, Paul C, Carey M, et al. A randomised trial assessing the acceptability and effectiveness of providing generic versus tailored feedback about health risks for a high need primary care sample. *BMC Family Practice*. 2015;16:95. doi: <http://dx.doi.org/10.1186/s12875-015-0309-7>.
199. Owsley C, McGwin G, Jr., Searcey K, et al. Effect of an eye health education program on older African Americans' eye care utilization and attitudes about eye care. *Journal of the National Medical Association*. 2013;105(1):69-76.
200. Patil R, Uusi-Rasi K, Kannus P, et al. Concern about falling in older women with a history of falls: associations with health, functional ability, physical activity and quality of life. *Gerontology*. 2014;60(1):22-30. doi: <http://dx.doi.org/10.1159/000354335>.
201. Pighills AC, Torgerson DJ, Sheldon TA, et al. Environmental assessment and modification to prevent falls in older people. *J Am Geriatr Soc*. 2011 Jan;59(1):26-33. doi: 10.1111/j.1532-5415.2010.03221.x. PMID: 21226674.
202. Radwany SM, Hazelett SE, Allen KR, et al. Results of the promoting effective advance care planning for elders (PEACE) randomized pilot study. *Population Health Management*. 2014 Apr;17(2):106-11. doi: <http://dx.doi.org/10.1089/pop.2013.0017>.
203. Rahimi Foroushani A, Estebarsari F, Mostafaei D, et al. The effect of health promoting intervention on healthy lifestyle and social support in elders: a clinical trial study. *Iranian Red Crescent Medical Journal*. 2014 Aug;16(8):e18399. doi: <http://dx.doi.org/10.5812/ircmj.18399>.
204. Sach TH, Logan PA, Coupland CA, et al. Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. *Age & Ageing*. 2012 Sep;41(5):635-41. doi: <http://dx.doi.org/10.1093/ageing/afs071>.
205. Salminen M, Vahlberg T, Sihvonen S, et al. Effects of risk-based multifactorial fall prevention program on maximal isometric muscle strength in community-dwelling aged: a randomized controlled trial. *Aging Clin Exp Res*. 2008 Oct;20(5):487-93. PMID: 19039292.
206. Salminen MJ, Vahlberg TJ, Salonoja MT, et al. Effect of a risk-based multifactorial fall prevention program on the incidence of falls. *J Am Geriatr Soc*. 2009 Apr;57(4):612-9. doi: 10.1111/j.1532-5415.2009.02176.x. PMID: 19392952.
207. Shyu YI, Liang J, Tseng MY, et al. Comprehensive care improves health outcomes among elderly Taiwanese patients with hip fracture. *Journals of Gerontology Series A-Biological Sciences & Medical Sciences*. 2013 Feb;68(2):188-97. doi: <http://dx.doi.org/10.1093/gerona/gls164>.

208. Sjosten NM, Salonoja M, Piirtola M, et al. A multifactorial fall prevention programme in home-dwelling elderly people: a randomized-controlled trial. *Public Health*. 2007 Apr;121(4):308-18. doi: 10.1016/j.puhe.2006.09.018. PMID: 17320125.
209. Sjosten NM, Vahlberg TJ, Kivela SL. The effects of multifactorial fall prevention on depressive symptoms among the aged at increased risk of falling. *Int J Geriatr Psychiatry*. 2008 May;23(5):504-10. doi: 10.1002/gps.1927. PMID: 17932996.
210. Souied EH, Delcourt C, Querques G, et al. Oral docosahexaenoic acid in the prevention of exudative age-related macular degeneration: the Nutritional AMD Treatment 2 study. *Ophthalmology*. 2013 Aug;120(8):1619-31. doi: 10.1016/j.ophtha.2013.01.005. PMID: 23395546.
211. Spice CL, Morotti W, George S, et al. The Winchester falls project: a randomised controlled trial of secondary prevention of falls in older people. *Age and ageing*. 2009;38(1):33-40.
212. Steinberg M, Cartwright C, Fau - Peel N, Peel N, Fau - Williams G, et al. A sustainable programme to prevent falls and near falls in community dwelling older people: results of a randomised trial. 20000420 DCOM- 20000420(0143-005X (Print))doi: D - NLM: PMC1731645 EDAT- 2000/04/04 09:00 MHDA- 2000/04/25 09:00 CRDT- 2000/04/04 09:00 PST - ppublish.
213. Stevens JA, Mahoney JE, Ehrenreich H. Circumstances and outcomes of falls among high risk community-dwelling older adults. *Injury Epidemiology*. 2014;1(1)doi: <http://dx.doi.org/10.1186/2197-1714-1-5>.
214. Tan PJ, Khoo EM, Chinna K, et al. An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). *BMC Geriatrics*. 2014;14:78. doi: <http://dx.doi.org/10.1186/1471-2318-14-78>.
215. Tanajewski L, Franklin M, Gkountouras G, et al. Cost-Effectiveness of a Specialist Geriatric Medical Intervention for Frail Older People Discharged from Acute Medical Units: Economic Evaluation in a Two-Centre Randomised Controlled Trial (AMIGOS). *PLoS ONE [Electronic Resource]*. 2015;10(5):e0121340. doi: <http://dx.doi.org/10.1371/journal.pone.0121340>.
216. Thygesen LC, Fokdal S, Gjorup T, et al. Can municipality-based post-discharge follow-up visits including a general practitioner reduce early readmission among the fragile elderly (65+ years old)? A randomized controlled trial. *Scandinavian Journal of Primary Health Care*. 2015 Jun;33(2):65-73. doi: <http://dx.doi.org/10.3109/02813432.2015.1041831>.
217. Tiedemann A, O'Rourke S, Sesto R, et al. A 12-week Iyengar yoga program improved balance and mobility in older community-dwelling people: a pilot randomized controlled trial. *The journals of gerontology*. 2013 Sep;Series A, Biological sciences and medical sciences. 68(9):1068-75. doi: <http://dx.doi.org/10.1093/gerona/glt087>.
218. Vaapio S, Salminen M, Vahlberg T, et al. Effects of risk-based multifactorial fall prevention on health-related quality of life among the community-dwelling aged: a randomized controlled trial. *Health Qual Life Outcomes*. 2007;5:20. doi: 10.1186/1477-7525-5-20. PMID: 17462083.
219. van Haastregt JC, Diederiks JP, van Rossum E, et al. Effects of a programme of multifactorial home visits on falls and mobility impairments in elderly people at risk: randomised controlled trial. *BMJ*. 2000 Oct 21;321(7267):994-8. PMID: 11039967.
220. Wesson J, Clemson L, Brodaty H, et al. A feasibility study and pilot randomised trial of a tailored prevention program to reduce falls in older people with mild dementia. *BMC Geriatrics*. 2013;13:89. doi: <http://dx.doi.org/10.1186/1471-2318-13-89>.
221. Wong FK, Chow SK, Chan TM, et al. Comparison of effects between home visits with telephone calls and telephone calls only for transitional discharge support: a randomised controlled trial. *Age & Ageing*. 2014 Jan;43(1):91-7. doi: <http://dx.doi.org/10.1093/ageing/aft123>.
222. Yildirim P, Ofluoglu D, Aydogan S, et al. Tai Chi vs. combined exercise prescription: A comparison of their effects on factors related to falls. *Journal of Back & Musculoskeletal Rehabilitation*. 2016;29(3):493-501. doi: 10.3233/bmr-150645.

223. Balaban DJ, Goldfarb NI, Perkel RL, et al. Follow-up study of an urban family medicine home visit program. *J Fam Pract.* 1988 Mar;26(3):307-12. PMID: 3346634.
224. Berglund H, Hasson H, Kjellgren K, et al. Effects of a continuum of care intervention on frail older persons' life satisfaction: a randomized controlled study. *Journal of Clinical Nursing.* 2015 Apr;24(7-8):1079-90. doi: <http://dx.doi.org/10.1111/jocn.12699>.
225. Bernabei R, Landi F, Gambassi G, et al. Randomised trial of impact of model of integrated care and case management for older people living in the community. *BMJ.* 1998 May 2;316(7141):1348-51. PMID: 9563983.
226. Bleijenberg N, Drubbel I, Schuurmans MJ, et al. Effectiveness of a Proactive Primary Care Program on Preserving Daily Functioning of Older People: A Cluster Randomized Controlled Trial. *Journal of the American Geriatrics Society.* 2016 Jul 26;26:26. doi: <http://dx.doi.org/10.1111/jgs.14325>.
227. Boulton C, Leff B, Boyd CM, et al. A matched-pair cluster-randomized trial of guided care for high-risk older patients. *Journal of General Internal Medicine.* 2013 May;28(5):612-21. doi: <http://dx.doi.org/10.1007/s11606-012-2287-y>.
228. Campbell AJ, Robertson MC, Gardner MM, et al. Falls prevention over 2 years: a randomized controlled trial in women 80 years and older. *Age Ageing.* 1999 Oct;28(6):513-8. PMID: 10604501.
229. Campbell AJ, Robertson MC, Gardner MM, et al. Randomised controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *BMJ.* 1997 Oct 25;315(7115):1065-9. PMID: 9366737.
230. Carpenter GI, Demopoulos GR. Screening the elderly in the community: controlled trial of dependency surveillance using a questionnaire administered by volunteers. 1990 19900726 DCOM- 19900726(0959-8138 (Print))doi: D - NLM: PMC1662856 EDAT- 1990/05/12 MHDA- 1990/05/12 00:01 CRDT- 1990/05/12 00:00 PST - ppublish.
231. Chan A, Matchar DB, Tsao MA, et al. Self-Care for Older People (SCOPE): a cluster randomized controlled trial of self-care training and health outcomes in low-income elderly in Singapore. *Contemporary Clinical Trials;* 2015. p. 313-24.
232. Chao J, Wang Y, Xu H, et al. The effect of community-based health management on the health of the elderly: a randomized controlled trial from China. *BMC Health Services Research.* 2012;12:449. doi: <http://dx.doi.org/10.1186/1472-6963-12-449>.
233. Ciechanowski P, Wagner E, Schmalting K, et al. Community-integrated home-based depression treatment in older adults: a randomized controlled trial. *JAMA.* 2004 Apr 7;291(13):1569-77. doi: 10.1001/jama.291.13.1569. PMID: 15069044.
234. Clarke M, Clarke S, Jagger C, Jagger C. Social intervention and the elderly: a randomized controlled trial. 1992 19930316 DCOM- 19930316(0002-9262 (Print)).
235. Cohen MA, Miller J, Shi X, et al. Prevention program lowered the risk of falls and decreased claims for long-term services among elder participants. *Health Affairs.* 2015;34(6):971-7. doi: <http://dx.doi.org/10.1377/hlthaff.2014.1172>.
236. Cohen MA, Miller J, Xiaomei S, et al. IMPROVING CARE. Prevention Program Lowered The Risk Of Falls And Decreased Claims For Long-Term Services Among Elder Participants. *Health Affairs.* 2015;34(6):971-7. doi: 10.1377/hlthaff.2014.1172.
237. Counsell SR, Callahan CM, Tu W, et al. Cost analysis of the Geriatric Resources for Assessment and Care of Elders care management intervention. *J Am Geriatr Soc.* 2009 Aug;57(8):1420-6. PMID: 19691149.
238. Crawford Shearer NB, Fleury JD, Belyea M. Randomized control trial of the Health Empowerment Intervention: feasibility and impact. *Nurs Res.* 2010 May-Jun;59(3):203-11. doi: 10.1097/NNR.0b013e3181dbbd4a. PMID: 20404773.
239. Dalby DM, Sellors JW, Fraser FD, et al. Effect of preventive home visits by a nurse on the outcomes of frail elderly people in the community: a randomized controlled trial. *CMAJ.* 2000 Feb 22;162(4):497-500. PMID: 10701382.
240. De Vriendt P, Peersman W, Florus A, et al. Improving Health Related Quality of Life and Independence in Community Dwelling Frail Older Adults through a Client-Centred and Activity-Oriented Program. A Pragmatic Randomized Controlled Trial. *Journal of Nutrition, Health & Aging.* 2016 Jan;20(1):35-40. doi: <http://dx.doi.org/10.1007/s12603-015-0581-1>.

241. Eckerblad J, Theander K, Ekdahl AW, et al. Symptom trajectory and symptom burden in older people with multimorbidity, secondary outcome from the RCT AGE-FIT study. *Journal of Advanced Nursing*. 2016 May 25;25:25. doi: <http://dx.doi.org/10.1111/jan.13032>.
242. Ekdahl AW, Alwin J, Eckerblad J, et al. Long-Term Evaluation of the Ambulatory Geriatric Assessment: A Frailty Intervention Trial (AGE-FIT): Clinical Outcomes and Total Costs After 36 Months. *Journal of the American Medical Directors Association*. 2016 Mar 1;17(3):263-8. doi: <http://dx.doi.org/10.1016/j.jamda.2015.12.008>.
243. Elbar O, Tzedek I, Vered E, et al. A water-based training program that includes perturbation exercises improves speed of voluntary stepping in older adults: A randomized controlled cross-over trial. *Archives of Gerontology and Geriatrics*. 2013 January;56(1):134-40. doi: <http://dx.doi.org/10.1016/j.archger.2012.08.003>.
244. El-Khoury F, Cassou B, Latouche A, et al. Effectiveness of two year balance training programme on prevention of fall induced injuries in at risk women aged 75-85 living in community: Ossébo randomised controlled trial. *BMJ: British Medical Journal*. 2015;351(8019):10-.
245. Epstein AM, Hall JA, Fretwell M, et al. Consultative geriatric assessment for ambulatory patients. A randomized trial in a health maintenance organization. *JAMA*. 1990 Jan 26;263(4):538-44. PMID: 2294326.
246. Fox PJ, Vazquez L, Tonner C, et al. A randomized trial of a multifaceted intervention to reduce falls among community-dwelling adults. *Health Educ Behav*. 2010 Dec;37(6):831-48. doi: 10.1177/1090198110366003. PMID: 21051772.
247. Frese T, Deutsch T, Keyser M, et al. In-home preventive comprehensive geriatric assessment (CGA) reduces mortality--a randomized controlled trial. *Archives of Gerontology & Geriatrics*. 2012 Nov-Dec;55(3):639-44. doi: <http://dx.doi.org/10.1016/j.archger.2012.06.012>.
248. Gawler S, Skelton DA, Dinan-Young S, et al. Reducing falls among older people in general practice: The ProAct65+ exercise intervention trial. *Archives of Gerontology and Geriatrics*. 2016 01 Nov;67:46-54. doi: <http://dx.doi.org/10.1016/j.archger.2016.06.019>.
249. Gill TM, Pahor, M., Gurlnik, J.M., McDermott, M.M., King, A., Buford, T.W., Effect of structured physical activity on prevention of serious fall injuries in adults aged 70-89. *BMJ: British Medical Journal*. 2016;352(8043):i245-i. doi: 10.1136/bmj.i245.
250. Gitlin LN, Winter L, Dennis MP, et al. A randomized trial of a multicomponent home intervention to reduce functional difficulties in older adults. *J Am Geriatr Soc*. 2006 May;54(5):809-16. doi: 10.1111/j.1532-5415.2006.00703.x. PMID: 16696748.
251. Gouveia BR, Jardim HG, Martins MM, et al. An evaluation of a nurse-led rehabilitation programme (the ProBalance Programme) to improve balance and reduce fall risk of community-dwelling older people: A randomised controlled trial. *International Journal of Nursing Studies*. 2016;56:1-8. doi: 10.1016/j.ijnurstu.2015.12.004.
252. Gschwind YJ, Eichberg S, Ejupi A, et al. ICT-based system to predict and prevent falls (iStoppFalls): results from an international multicenter randomized controlled trial. *European Reviews of Aging & Physical Activity*. 2015;12:10. doi: <http://dx.doi.org/10.1186/s11556-015-0155-6>.
253. Guse CE, Peterson DJ, Christiansen AL, et al. Translating a Fall Prevention Intervention Into Practice: A Randomized Community Trial. *American Journal of Public Health*. 2015 Jul;105(7):1475-81. doi: <http://dx.doi.org/10.2105/AJPH.2014.302315>.
254. Gustafsson S, Eklund K, Wilhelmson K, et al. Long-term outcome for ADL following the health-promoting RCT--elderly persons in the risk zone. *Gerontologist*. 2013 Aug;53(4):654-63. doi: <http://dx.doi.org/10.1093/geront/gns121>.
255. Gustafsson S, Wilhelmson K, Eklund K, et al. Health-promoting interventions for persons aged 80 and older are successful in the short term--results from the randomized and three-armed Elderly Persons in the Risk Zone study. *Journal of the American Geriatrics Society*. 2012 Mar;60(3):447-54. doi: <http://dx.doi.org/10.1111/j.1532-5415.2011.03861.x>.



256. Gustafsson S, Wilhelmson K, Eklund K, et al. Health-promoting interventions for persons aged 80 and older are successful in the short term--results from the randomized and three-armed Elderly Persons in the Risk Zone study. *J Am Geriatr Soc*. 2012 Mar;60(3):447-54. doi: 10.1111/j.1532-5415.2011.03861.x. PMID: 22409735.
257. Hall N, De Beck P, Johnson D, et al. Randomized trial of a health promotion program for frail elders. *Canadian Journal on Aging/La Revue canadienne du vieillissement*. 1992;11(01):72-91.
258. Headley CM, Payne L. Examination of a fall prevention program on leisure and leisure-based fear of falling of older adults. *International Journal on Disability and Human Development*. 2014 01 Feb;13(1):149-54. doi: <http://dx.doi.org/10.1515/ijdh-2013-0023>.
259. Hendriksen C Fau - Lund E, Lund E Fau - Stromgard E, Stromgard E. Consequences of assessment and intervention among elderly people: a three year randomised controlled trial. 1984 19850128 DCOM- 19850128(0267-0623 (Print))doi: D - NLM: PMC1443760 EDAT- 1984/12/01 MHDA- 1984/12/01 00:01 CRDT- 1984/12/01 00:00 PST - ppublish.
260. Huang HC, Liu Cy Fau - Huang Y-T, Huang Yt Fau - Kernohan WG, et al. Community-based interventions to reduce falls among older adults in Taiwan - long time follow-up randomised controlled study. 20100524 DCOM- 20100826(1365-2702 (Electronic)).
261. Huang TT, Acton GJ. Effectiveness of home visit falls prevention strategy for Taiwanese community-dwelling elders: randomized trial. *Public Health Nurs*. 2004 May-Jun;21(3):247-56. doi: 10.1111/j.0737-1209.2004.21307.x. PMID: 15144369.
262. Jeon MY, Jeong H, Petrofsky J, et al. Effects of a randomized controlled recurrent fall prevention program on risk factors for falls in frail elderly living at home in rural communities. *Medical Science Monitor*. 2014;20:2283-91. doi: <http://dx.doi.org/10.12659/MSM.890611>.
263. Johansson E, Dahlberg R, Jonsson H, et al. Does a Falls Prevention Program Impact Perceived Participation in Everyday Occupations? A Pilot Randomized Controlled Trial. *OTJR: Occupation, Participation, & Health*. 2015 Oct;35(4):204-12. doi: <http://dx.doi.org/10.1177/1539449215589728>.
264. Kamei T, Kajii F, Yamamoto Y, et al. Effectiveness of a home hazard modification program for reducing falls in urban community-dwelling older adults: A randomized controlled trial. *Japan Journal of Nursing Science: JJNS*. 2015 Jul;12(3):184-97. doi: <http://dx.doi.org/10.1111/jjns.12059>.
265. Kerse N, McLean C, Moyes SA, et al. The cluster-randomized BRIGHT trial: Proactive case finding for community-dwelling older adults. *Annals of Family Medicine*. 2014 Nov-Dec;12(6):514-24. doi: <http://dx.doi.org/10.1370/afm.1696>.
266. King AI, Parsons M, Robinson E, et al. Assessing the impact of a restorative home care service in New Zealand: a cluster randomised controlled trial. *Health & Social Care in the Community*. 2012 Jul;20(4):365-74. doi: <http://dx.doi.org/10.1111/j.1365-2524.2011.01039.x>.
267. Kono A, Izumi K, Yoshiyuki N, et al. Effects of an Updated Preventive Home Visit Program Based on a Systematic Structured Assessment of Care Needs for Ambulatory Frail Older Adults in Japan: A Randomized Controlled Trial. *Journals of Gerontology Series A Biological Sciences & Medical Sciences*. 2016 Apr 13;13:13. doi: <http://dx.doi.org/10.1093/gerona/glw068>.
268. Kono A, Kai I, Sakato C, et al. Effect of preventive home visits for ambulatory housebound elders in Japan: a pilot study. *Aging Clin Exp Res*. 2004 Aug;16(4):293-9. PMID: 15575123.
269. Kono A, Kanaya Y, Fujita T, et al. Effects of a preventive home visit program in ambulatory frail older people: a randomized controlled trial. *Journals of Gerontology Series A-Biological Sciences & Medical Sciences*. 2012 Mar;67(3):302-9. doi: <http://dx.doi.org/10.1093/gerona/glr176>.
270. Kono A, Kanaya Y, Tsumura C, et al. Effects of preventive home visits on health care costs for ambulatory frail elders: a randomized controlled trial. *Aging-Clinical & Experimental Research*. 2013 Oct;25(5):575-81. doi: <http://dx.doi.org/10.1007/s40520-013-0128-4>.

271. Krebs DE, Jette AM, Assmann SF. Moderate exercise improves gait stability in disabled elders. *Arch Phys Med Rehabil.* 1998 Dec;79(12):1489-95. PMID: 9862288.
272. Lampela P, Lavikainen P, Huupponen R, et al. Comprehensive geriatric assessment decreases prevalence of orthostatic hypotension in older persons. *Scandinavian Journal of Public Health.* 2013 Jun;41(4):351-8. doi: <http://dx.doi.org/10.1177/1403494813475533>.
273. Leung KS, Li CY, Tse YK, et al. Effects of 18-month low-magnitude high-frequency vibration on fall rate and fracture risks in 710 community elderly - A cluster-randomized controlled trial. *Osteoporosis International.* 2014 June;25(6):1785-95. doi: <http://dx.doi.org/10.1007/s00198-014-2693-6>.
274. Leveille SG, Wagner Eh Fau - Davis C, Davis C Fau - Grothaus L, et al. Preventing disability and managing chronic illness in frail older adults: a randomized trial of a community-based partnership with primary care. 19981106 DCOM- 19981106(0002-8614 (Print)).
275. Levine S, Steinman BA, Attaway K, et al. Home care program for patients at high risk of hospitalization. *American Journal of Managed Care.* 2012 Aug;18(8):e269-76.
276. Lewin G, De San Miguel K, Knuiman M, et al. A randomised controlled trial of the Home Independence Program, an Australian restorative home-care programme for older adults. *Health & Social Care in the Community.* 2013 Jan;21(1):69-78. doi: <http://dx.doi.org/10.1111/j.1365-2524.2012.01088.x>.
277. Luker KA. Health visiting and the elderly. *Midwife Health Visit Community Nurse.* 1979 Nov;15(11):457-9. PMID: 259890.
278. Metzelthin SF, van Rossum E, Hendriks MR, et al. Reducing disability in community-dwelling frail older people: cost-effectiveness study alongside a cluster randomised controlled trial. *Age & Ageing.* 2015 May;44(3):390-6. doi: <http://dx.doi.org/10.1093/ageing/afu200>.
279. Nelson ME, Layne JE, Bernstein MJ, et al. The effects of multidimensional home-based exercise on functional performance in elderly people. *J Gerontol A Biol Sci Med Sci.* 2004 Feb;59(2):154-60. PMID: 14999030.
280. Ng TP, Feng L, Nyunt MS, et al. Nutritional, Physical, Cognitive, and Combination Interventions and Frailty Reversal Among Older Adults: A Randomized Controlled Trial. *American Journal of Medicine.* 2015 Nov;128(11):1225-36.e1. doi: <http://dx.doi.org/10.1016/j.amjmed.2015.06.017>.
281. Parsons J, Rouse P, Robinson EM, et al. Goal setting as a feature of homecare services for older people: does it make a difference? *Age & Ageing.* 2012 Jan;41(1):24-9. doi: <http://dx.doi.org/10.1093/ageing/afr118>.
282. Parsons JG, Sheridan N, Rouse P, et al. A randomized controlled trial to determine the effect of a model of restorative home care on physical function and social support among older people. *Archives of Physical Medicine & Rehabilitation.* 2013 Jun;94(6):1015-22. doi: <http://dx.doi.org/10.1016/j.apmr.2013.02.003>.
283. Perula LA, Varas-Fabra F, Rodriguez V, et al. Effectiveness of a multifactorial intervention program to reduce falls incidence among community-living older adults: a randomized controlled trial. *Archives of Physical Medicine & Rehabilitation.* 2012 Oct;93(10):1677-84. doi: <http://dx.doi.org/10.1016/j.apmr.2012.03.035>.
284. Pirouzi S, Motealleh AR, Fallahzadeh F, et al. Effectiveness of treadmill training on balance control in elderly people: A randomized controlled clinical trial. *Iranian Journal of Medical Sciences.* 2014;39(6):565-70.
285. Robertson MC, Devlin N, Scuffham P, et al. Economic evaluation of a community based exercise programme to prevent falls. *J Epidemiol Community Health.* 2001 Aug;55(8):600-6. PMID: 11449021.
286. Robertson MC, Gardner MM, Devlin N, et al. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 2: Controlled trial in multiple centres. *BMJ.* 2001 Mar 24;322(7288):701-4. PMID: 11264207.

287. Rubin KH, Holmberg T, Rothmann MJ, et al. The Risk-Stratified Osteoporosis Strategy Evaluation study (ROSE): A Randomized Prospective Population-Based Study. Design and Baseline Characteristics. *Calcified Tissue International*. 2015;96(2):167-79. doi: <http://dx.doi.org/10.1007/s00223-014-9950-8>.
288. Ryan JW, Spellbring AM. Implementing strategies to decrease risk of falls in older women. *Journal of Gerontological Nursing*. 1996 19970403 DCOM- 19970403;22(12):25-31.
289. Sahlen KG, Dahlgren L, Hellner BM, et al. Preventive home visits postpone mortality--a controlled trial with time-limited results. *BMC Public Health*. 2006;6:220. doi: 10.1186/1471-2458-6-220. PMID: 16945128.
290. Samuel SE, Nayak A, Kotian MS. Effects of functional and balance training on quality of life among community dwelling older adults. *Biomedicine (India)*. 2013 July-September;33(3):369-74.
291. Schraeder C, Shelton P Fau - Sager M, Sager M. The effects of a collaborative model of primary care on the mortality and hospital use of community-dwelling older adults. 2001 20010212 DCOM- 20010301(1079-5006 (Print)).
292. Shapiro A, Taylor M. Effects of a community-based early intervention program on the subjective well-being, institutionalization, and mortality of low-income elders. *Gerontologist*. 2002 Jun;42(3):334-41. PMID: 12040135.
293. Sheffield C, Smith CA, Becker M. Evaluation of an agency-based occupational therapy intervention to facilitate aging in place. *Gerontologist*. 2013 Dec;53(6):907-18. doi: <http://dx.doi.org/10.1093/geront/gns145>.
294. Smee DJ, Berry HL, Waddington GS, et al. A Balance-Specific Exercise Intervention Improves Falls Risk but not Total Physical Functionality in Community-Dwelling Older Adults. *Physical & Occupational Therapy in Geriatrics*. 2014;32(4):310-20. doi: 10.3109/02703181.2014.934945.
295. Stevens M, Holman CD, Bennett N. Preventing falls in older people: impact of an intervention to reduce environmental hazards in the home. *J Am Geriatr Soc*. 2001 Nov;49(11):1442-7. PMID: 11890581.
296. Stevens M, Holman CD, Bennett N, et al. Preventing falls in older people: outcome evaluation of a randomized controlled trial. *J Am Geriatr Soc*. 2001 Nov;49(11):1448-55. PMID: 11890582.
297. Sundsli K, Soderhamn U, Espnes GA, et al. Self-care telephone talks as a health-promotion intervention in urban home-living persons 75+ years of age: a randomized controlled study. *Clinical Interventions In Aging*. 2014;9:95-103. doi: <http://dx.doi.org/10.2147/CIA.S55925>.
298. Tuntland H, Aaslund MK, Espehaug B, et al. Reablement in community-dwelling older adults: a randomised controlled trial. *BMC Geriatrics*. 2015;15:145. doi: <http://dx.doi.org/10.1186/s12877-015-0142-9>.
299. Uittenbroek RJ, Kremer HP, Spoorenberg SL, et al. Integrated Care for Older Adults Improves Perceived Quality of Care: Results of a Randomized Controlled Trial of Embrace. *Journal of General Internal Medicine*. 2016 Jun 6;6:6. doi: <http://dx.doi.org/10.1007/s11606-016-3742-y>.
300. Ukawa S, Satoh H, Yuasa M, et al. A randomized controlled trial of a Functioning Improvement Tool home-visit program and its effect on cognitive function in older persons. *International Journal of Geriatric Psychiatry*. 2012 Jun;27(6):557-64. doi: <http://dx.doi.org/10.1002/gps.2753>.
301. Ukawa S, Yuasa M, Ikeno T, et al. Randomised controlled pilot study in Japan comparing a home visit program using a Functioning Improvement Tool with a home visit with conversation alone. *Australasian Journal on Ageing*. 2012 Sep;31(3):187-9. doi: <http://dx.doi.org/10.1111/j.1741-6612.2012.00589.x>.
302. Vass M, Avlund K, Lauridsen J, et al. Feasible model for prevention of functional decline in older people: municipality-randomized, controlled trial. *J Am Geriatr Soc*. 2005 Apr;53(4):563-8. doi: 10.1111/j.1532-5415.2005.53201.x. PMID: 15816999.

303. Voukelatos A, Merom D, Sherrington C, et al. The impact of a home-based walking programme on falls in older people: The easy steps randomised controlled trial. *Age and Ageing*. 2015 01 May;44(3):377-83. doi: <http://dx.doi.org/10.1093/ageing/afu186>.
304. Wasson J, Gaudette C Fau - Whaley F, Whaley F Fau - Sauvigne A, et al. Telephone care as a substitute for routine clinic follow-up. 19920414 DCOM- 19920414(0098-7484 (Print)).
305. Wilhelmson K, Eklund K. Positive Effects on Life Satisfaction Following Health-Promoting Interventions for Frail Older Adults: A Randomized Controlled Study. *Health Psychology Research*. 2013 Jan 2;1(1):e12. doi: <http://dx.doi.org/10.4081/hpr.2013.e12>.
306. Williams ME, Williams TF, Zimmer JG, et al. How does the team approach to outpatient geriatric evaluation compare with traditional care: a report of a randomized controlled trial. *J Am Geriatr Soc*. 1987 Dec;35(12):1071-8. PMID: 3119693.
307. Yates SM, Dunnagan TA. Evaluating the effectiveness of a home-based fall risk reduction program for rural community-dwelling older adults. *J Gerontol A Biol Sci Med Sci*. 2001 Apr;56(4):M226-30. PMID: 11283195.
308. Ziden L, Haggblom-Kronlof G, Gustafsson S, et al. Physical function and fear of falling 2 years after the health-promoting randomized controlled trial: elderly persons in the risk zone. *Gerontologist*. 2014 Jun;54(3):387-97. doi: <http://dx.doi.org/10.1093/geront/gnt078>.

### **No outcomes (as reported; indication of no vision outcome)**

309. Fordyce M, Bardole D, Romer L, et al. Senior team assessment and referral program—STAR. *The Journal of the American Board of Family Practice*. 1997;10(6):398-406.
310. Robson E, Edwards J, Gallagher E, et al. Steady As You Go (SAYGO): A Falls-Prevention Program for Seniors Living in the Community. *Canadian Journal on Aging/La Revue canadienne du vieillissement*. 2003;22(02):207-16.
311. Burton LC, Steinwachs Dm Fau - German PS, German Ps Fau - Shapiro S, et al. Preventive services for the elderly: would coverage affect utilization and costs under Medicare? 19950419 DCOM- 19950419(0090-0036 (Print))doi: D - NLM: PMC1614868 EDAT- 1995/03/01 MHDA- 1995/03/01 00:01 CRDT- 1995/03/01 00:00 PST - ppublish.
312. Burton LC, German Ps Fau - Shapiro S, Shapiro S. A preventive services demonstration. Health status, health behaviors, and cost outcomes 2 years after intervention. The Johns Hopkins Medicare Preventive Services Demonstration Team. 19971201 DCOM- 19971201(0025-7079 (Print)).
313. Fabacher D, Josephson K, Pietruszka F, et al. An in-home preventive assessment program for independent older adults: a randomized controlled trial. *J Am Geriatr Soc*. 1994 Jun;42(6):630-8. PMID: 8201149.
314. Pathy MS, Bayer A, Harding K, et al. Randomised trial of case finding and surveillance of elderly people at home. *Lancet*. 1992 Oct 10;340(8824):890-3. PMID: 1357306.
315. Stuck AE, Aronow HU, Steiner A, et al. A trial of annual in-home comprehensive geriatric assessments for elderly people living in the community. *N Engl J Med*. 1995 Nov 2;333(18):1184-9. doi: 10.1056/nejm199511023331805. PMID: 7565974.
316. Tinetti ME, Baker DI, McAvay G, et al. A multifactorial intervention to reduce the risk of falling among elderly people living in the community. *N Engl J Med*. 1994 Sep 29;331(13):821-7. doi: 10.1056/nejm199409293311301. PMID: 8078528.
317. Tulloch Aj Fau - Moore V, Moore V. A randomized controlled trial of geriatric screening and surveillance in general practice. 19800514 DCOM- 19800514(0035-8797 (Print))doi: D - NLM: PMC2160253 EDAT- 1979/12/01 MHDA- 1979/12/01 00:01 CRDT- 1979/12/01 00:00 PST - ppublish.
318. Yeo G, Ingram L, Skurnick J, et al. Effects of a geriatric clinic on functional health and well-being of elders. *J Gerontol*. 1987 May;42(3):252-8. PMID: 3571860.

## No outcomes (as per author response)

319. Hoogendijk EO, van der Horst HE, van de Ven PM, et al. Effectiveness of a Geriatric Care Model for frail older adults in primary care: Results from a stepped wedge cluster randomized trial. *European Journal of Internal Medicine*. 2016 Mar;28:43-51. doi: <http://dx.doi.org/10.1016/j.ejim.2015.10.023>.
320. Behm L, Eklund K, Wilhelmson K, et al. Health Promotion Can Postpone Frailty: Results from the RCT Elderly Persons in the Risk Zone. 2015 20160718(1525-1446 (Electronic)).
321. Behm L, Wilhelmson K, Falk K, et al. Positive health outcomes following health-promoting and disease-preventive interventions for independent very old persons: long-term results of the three-armed RCT Elderly Persons in the Risk Zone. *Archives of Gerontology & Geriatrics*. 2014 May-Jun;58(3):376-83. doi: <http://dx.doi.org/10.1016/j.archger.2013.12.010>.
322. Bouman AI, van Rossum E, Ambergen TW, et al. [Effects of a home visiting program for older people with poor health status: a randomized, clinical trial in the Netherlands]. *Ned Tijdschr Geneeskd*. 2009 Apr 4;153(14):644-50. PMID: 19425321.
323. Counsell SR, Callahan CM, Clark DO, et al. Geriatric care management for low-income seniors: a randomized controlled trial. *JAMA*. 2007 Dec 12;298(22):2623-33. doi: 10.1001/jama.298.22.2623. PMID: 18073358.
324. Eklund K, Wilhelmson K, Gustafsson H, et al. One-year outcome of frailty indicators and activities of daily living following the randomised controlled trial: "Continuum of care for frail older people". *BMC Geriatrics*. 2013;13:76. doi: <http://dx.doi.org/10.1186/1471-2318-13-76>.
325. Fairhall N, Sherrington C, Lord SR, et al. Effect of a multifactorial, interdisciplinary intervention on risk factors for falls and fall rate in frail older people: a randomised controlled trial. *Age & Ageing*. 2014 Sep;43(5):616-22. doi: <http://dx.doi.org/10.1093/ageing/aft204>.
326. Fletcher AE, Price GM, Ng ES, et al. Population-based multidimensional assessment of older people in UK general practice: a cluster-randomised factorial trial. *Lancet*. 2004 Nov 6-12;364(9446):1667-77. doi: 10.1016/s0140-6736(04)17353-4. PMID: 15530627.
327. Godwin M, Gadag V, Pike A, et al. A randomized controlled trial of the effect of an intensive 1-year care management program on measures of health status in independent, community-living old elderly: the Eldercare project. *Family Practice*. 2016 Feb;33(1):37-41. doi: <http://dx.doi.org/10.1093/fampra/cmz089>.
328. Markle-Reid M, Browne G, Gafni A, et al. The effects and costs of a multifactorial and interdisciplinary team approach to falls prevention for older home care clients 'at risk' for falling: a randomized controlled trial. *Can J Aging*. 2010 Mar;29(1):139-61. doi: 10.1017/s0714980809990377. PMID: 20202271.
329. Metzelthin SF, van Rossum E, de Witte LP, et al. Effectiveness of interdisciplinary primary care approach to reduce disability in community dwelling frail older people: cluster randomised controlled trial. *BMJ*. 2013;347:f5264. doi: <http://dx.doi.org/10.1136/bmj.f5264>.
330. Ploeg J, Brazil K, Hutchison B, et al. Effect of preventive primary care outreach on health related quality of life among older adults at risk of functional decline: randomised controlled trial. *BMJ*. 2010;340:c1480. doi: 10.1136/bmj.c1480. PMID: 20400483.
331. Sherman H, Soderhielm-Blid S, Forsberg C, et al. Effects of preventive home visits by district nurses on self-reported health of 75-year-olds. *Primary Health Care Research & Development*. 2016 Jan;17(1):56-71. doi: <http://dx.doi.org/10.1017/S1463423614000565>.
332. Shumway-Cook A, Silver IF, LeMier M, et al. Effectiveness of a community-based multifactorial intervention on falls and fall risk factors in community-living older adults: a randomized, controlled trial. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*. 2007;62(12):1420-7.

333. Stuck AE, Moser A, Morf U, et al. Effect of health risk assessment and counselling on health behaviour and survival in older people: a pragmatic randomised trial. *PLoS Medicine / Public Library of Science*. 2015 Oct;12(10):e1001889. doi: <http://dx.doi.org/10.1371/journal.pmed.1001889>.
334. van Hout HP, Jansen AP, van Marwijk HW, et al. Prevention of adverse health trajectories in a vulnerable elderly population through nurse home visits: a randomized controlled trial [ISRCTN05358495]. *J Gerontol A Biol Sci Med Sci*. 2010 Jul;65(7):734-42. doi: 10.1093/gerona/qlq037. PMID: 20457579.
335. Yamada Y, Ikegami N. Preventive home visits for community-dwelling frail elderly people based on Minimum Data Set-Home Care: Randomized controlled trial. *Geriatrics & Gerontology International*. 2003;3(4):236-42.
336. Rubenstein LZ, Aronow HU, Schloe M, et al. A home-based geriatric assessment, follow-up and health promotion program: design, methods, and baseline findings from a 3-year randomized clinical trial. *Aging (Milano)*. 1994 Apr;6(2):105-20. PMID: 7918729.
337. Byles JE, Tavener M, O'Connell RL, et al. Randomised controlled trial of health assessments for older Australian veterans and war widows. *Med J Aust*. 2004 Aug 16;181(4):186-90. PMID: 15310251.
338. Hebert R, Robichaud L, Roy PM, et al. Efficacy of a nurse-led multidimensional preventive programme for older people at risk of functional decline. A randomized controlled trial. *Age Ageing*. 2001 Mar;30(2):147-53. PMID: 11395345.
339. Kono A, Kanaya Y, Fujita T, et al. Effects of a preventive home visit program in ambulatory frail older people: a randomized controlled trial. *J Gerontol A Biol Sci Med Sci*. 2012 Mar;67(3):302-9. doi: 10.1093/gerona/qlr176. PMID: 22016361.
340. Parsons M, Senior H, Kerse N, et al. Should care managers for older adults be located in primary care? A randomized controlled trial. *Journal of the American Geriatrics Society*. 2012 Jan;60(1):86-92. doi: <http://dx.doi.org/10.1111/j.1532-5415.2011.03763.x>.
341. Stuck AE, Minder CE, Peter-Wuest I, et al. A randomized trial of in-home visits for disability prevention in community-dwelling older people at low and high risk for nursing home admission. *Arch Intern Med*. 2000 Apr 10;160(7):977-86. PMID: 10761963.

### No outcome data available (as per author)

342. Thomas R, Worrall G, Elgar F, et al. Can they keep going on their own? A four-year randomized trial of functional assessments of community residents. *Canadian Journal on Aging/La Revue canadienne du vieillissement*. 2007;26(04):379-89.
343. Moller UO, Kristensson J, Midlov P, et al. Effects of a one-year home-based case management intervention on falls in older people: a randomized controlled trial. *Journal of Aging & Physical Activity*. 2014 Oct;22(4):457-64. doi: <http://dx.doi.org/10.1123/japa.2013-0101>.

### No outcome (no response from author after 3 email contacts)

344. Cornillon E, Blanchon Ma Fau - Ramboatsisetraina P, Ramboatsisetraina P Fau - Braize C, et al. [Effectiveness of falls prevention strategies for elderly subjects who live in the community with performance assessment of physical activities (before-after)]. 20021223 DCOM- 20030221(0168-6054 (Print)).
345. Ferrer A, Formiga F, Sanz H, et al. Multifactorial assessment and targeted intervention to reduce falls among the oldest-old: a randomized controlled trial. *Clinical Interventions In Aging*. 2014;9:383-93. doi: <http://dx.doi.org/10.2147/CIA.S57580>.
346. Imhof L, Naef R, Wallhagen MI, et al. Effects of an advanced practice nurse in-home health consultation program for community-dwelling persons aged 80 and older. *Journal of the American Geriatrics Society*. 2012 Dec;60(12):2223-31. doi: <http://dx.doi.org/10.1111/jgs.12026>.
347. Lihavainen K, Sipila S, Rantanen T, et al. Effects of comprehensive geriatric assessment and targeted intervention on mobility in persons aged 75 years and over: a randomized controlled trial. *Clinical Rehabilitation*. 2012 Apr;26(4):314-26. doi: <http://dx.doi.org/10.1177/0269215511423269>.

348. Luck T, Motzek T, Luppia M, et al. Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. *Clinical Interventions In Aging*. 2013;8:697-702. doi: <http://dx.doi.org/10.2147/CIA.S43284>.
349. Palvanen M, Kannus P, Piirtola M, et al. Effectiveness of the Chaos Falls Clinic in preventing falls and injuries of home-dwelling older adults: a randomised controlled trial. *Injury*. 2014 Jan;45(1):265-71. doi: <http://dx.doi.org/10.1016/j.injury.2013.03.010>.
350. Stolle C, Wolter A, Roth G, et al. Effects of the Resident Assessment Instrument in home care settings: results of a cluster randomized controlled trial. *Zeitschrift fur Gerontologie und Geriatrie*. 2012 Jun;45(4):315-22. doi: <http://dx.doi.org/10.1007/s00391-011-0221-2>.
351. Suijker JJ, van Rijn M, Buurman BM, et al. Effects of Nurse-Led Multifactorial Care to Prevent Disability in Community-Living Older People: Cluster Randomized Trial. *PLoS ONE [Electronic Resource]*. 2016;11(7):e0158714. doi: <http://dx.doi.org/10.1371/journal.pone.0158714>.

## Setting

352. Lihavainen K, Sipila S, Rantanen T, et al. Effects of comprehensive geriatric intervention on physical performance among people aged 75 years and over. *Aging Clinical and Experimental Research*; 2012. p. 331-8.