



Excluded Studies – KQ1 a & b (screening effectiveness)

Studies Excluded Due to Study Design (189)

1. Abbasi IA, Hess LW, Johnson TR, McFadden E, Chernow B. Leukocyte esterase activity in the rapid detection of urinary tract and lower genital tract infections in obstetric patients. *Am J Perinatol.* 1985;2(4):311-3.
2. Abdullah AA, Al-Moslih MI. Prevalence of asymptomatic bacteriuria in pregnant women in Sharjah, United Arab Emirates. *East Mediterr Health J.* 2005;11(5-6):1045-52.
3. Abies AZ, Chauhan SP. Preterm labor: Diagnostic and therapeutic options are not all alike. *J.* 2005;54(3):245-52.
4. Abraham E, Brenner BE, Simon RR. Cystitis and pyelonephritis. *Ann Emerg Med.* 1983;12(4):228-34.
5. Abraham G, Reddy YNV, George G. Diagnosis of acute pyelonephritis with recent trends in management. *Nephrol Dial Transplant.* 2012;27(9):3391-4.
6. Abramson JH, Sacks TC, Flug D, Elishkovsky R, Cohen R. Bacteriuria and hemoglobin levels in pregnancy. *JAMA.* 1971;215(10):1631-7.
7. Abyad A. Screening for asymptomatic bacteriuria in pregnancy: urinalysis vs urine culture. *J Fam Practice.* 1991;33(5):471-4.
8. Adriaanse AH. Prevention of neonatal septicaemia due to group B streptococci. *Baillieres Clin Obstet Gynaecol.* 1995;9(3):545-52.
9. Ahmad S. Asymptomatic group B streptococcal bacteriuria among pregnant women in Saudi Arabia. *Br J Biomed Sci.* 2015;72(3):135-9.
10. Aigere EO, Okusanya BO, Eigbefoh JO, Okome GB. Enhanced urinalysis in the detection of asymptomatic bacteriuria in pregnancy. *Nigerian Quarterly Journal of Hospital Medicine.* 2013;23(2):105-9.
11. Ajayi AB, Nwabuisi C, Aboyeji AP, Ajayi NS, Fowotade A, Fakeye OO. Asymptomatic bacteriuria in antenatal patients in Ilorin, Nigeria. *Oman Med.* 2012;27(1):31-5.
12. Ajayi AB, Nwabuisi C, Aboyeji PO, Fowotade A, Fakeye OO. Reliability of urine multistix and gram stain in the detection of asymptomatic bacteriuria in pregnancy. *West Afr J Med.* 2010;29(5):339-43.
13. Alfred AO, Chiedozie I, Martin DU. Pattern of asymptomatic bacteriuria among pregnant women attending an antenatal clinic at a private health facility in Benin, South-South Nigeria. *Ann Afr Med.* 2013;12(3):160-4.
14. American College of Nurse-Midwives. Urinary tract infections. *J Midwifery Womens Health.* 2005;50(6):551-2.
15. Anandkumar H, Srinivasa H, Kodliwadmath S, Raksha R. Symptomatic and asymptomatic urinary tract infection by Escherichia coli among pregnant women attending out patient clinic of obstetrics and gynecology. *Journal of Pure and Applied Microbiology.* 2011;5(2):717-23.
16. Andelman MB, Zackler J, Zimmerman M, Scott E. A "stick test" for detection of asymptomatic bacteriuria. *J Urol.* 1968;100(2):190-4.
17. Andriole VT. Urinary tract infections in pregnancy. *Urol Clin North Am.* 1975;2(3):485-98.
18. Anonymous. How prenatal care can improve maternal health. *Safe Mother.* 1993(11):4-5.
19. Anonymous. Suprapubic aspiration of the bladder in pregnancy. *J Iowa Med Soc.* 1968;58(9):957-9.
20. Anonymous. Ureaplasmas of humans: with emphasis upon maternal and neonatal infections. Proceedings of an international symposium of the International Organization for Mycoplasmology. Seattle, Washington, October 10-12, 1985. *Pediatr Infect Dis.* 1986;5(6 Suppl):S221-354.
21. Anonymous. Uriglox test for asymptomatic bacteriuria. *Drug Ther Bull.* 1972;10(9):35-6.
22. Anonymous. What is chronic pyelonephritis? *Br Med J.* 1971;2(5753):61-2.
23. Archbald FJ, Verma U, Tejani NA. Screening for asymptomatic bacteriuria with Microstix. *J Reprod Med.* 1984;29(4):272-4.
24. Asscher AW. Editorial: Urinary tract infection: Value of early diagnosis. *Kidney Int.* 1975;7(2):63-7.
25. Asscher AW. Prophylaxis of urinary tract infection. *Ulster Med J.* 1981;50(Suppl 1):29-35.
26. Asscher AW. Screening for urinary tract infection. *J R Coll Physicians Lond.* 1970;4(3):219-26.
27. Asscher AW. Urinary-tract infection. *Lancet.* 1974;2(7893):1365-7.
28. Astrom G. Routine uroscreen test in antenatal patients. *Acta Obstet Gynecol Scand.* 1969;48:Suppl 3:127+.
29. Atal PR, Mukherjee K, Kulshrestha RC. Bacteriuria--a diagnostic problem. *Indian J Med Sci.* 1970;24(11):703-9.
30. Awasthi A, Adiga P, Rao S. Prevalence of asymptomatic bacteriuria and sterile pyuria in pregnant women attending antenatal clinic in a tertiary care center in Karnataka: A pilot study. *Clinical Epidemiology and Global Health.* 2013;1(1):44-9.
31. Awonuga DO, Fawole AO, Dada-Adegbola HO, Olola FA, Awonuga OM. Asymptomatic bacteriuria in pregnancy: evaluation of reagent strips in comparison to microbiological culture. *Afr J Med Med Sci.* 2011;40(4):377-83.

32. Azad K, Mathews J. Preventing newborn deaths due to prematurity. Best Practice and Research: Clinical Obstetrics and Gynaecology. 2016;36:131-44.
33. Bachman JW, Heise RH, Naessens JM, Timmerman MG. A study of various tests to detect asymptomatic urinary tract infections in an obstetric population. *JAMA*. 1993;270(16):1971-4.
34. Bagnis CI, Deray G. Urinary tract infections during pregnancy. *Rev Prat*. 2014;64(7):983-5. Epub 2014/11/05.
35. Bailey MJ, Neary JT, Notelovitz M. The Uricult dip-slide in significant bacteriuria. *SAMJ*. 1972;46(37):1323-6.
36. Bailey RR, Roberts AP, Gower PE, De Wardener HE. Prevention of urinary-tract infection with low-dose nitrofurantoin. *Lancet*. 1971;2(7734):1112-4.
37. Baker DA. Herpesvirus. *Clin Obstet Gynecol*. 1983;26(1):165-72.
38. Balamurugan S, Shah C, Jayapriya S, Priyadarshini S, Jeya M, Ramesh RK. Reagent strip testing (RST) for asymptomatic bacteriuria (ASB) in pregnant women: A cost-effective screening tool in under-resourced settings. *Journal of Clinical and Diagnostic Research*. 2012;6(4 Suppl. 2):671-3.
39. Baudet JH. The "usual" forms of urinary infection in pregnant women. *Ann Urol (Paris)*. 1984;18(5):345-6.
40. Beco L. Detection of asymptomatic bacteriuria in pregnant women in prenatal consultation. *Bull Soc R Belge Gynecol Obstet*. 1967;37(5):399-404.
41. Benner EJ. Cephalosporin antibiotics: therapeutic dimensions and future. *Postgrad Med J*. 1971;47 Suppl:135-42.
42. Bergogne-Berezin E. Bacterial host interaction in the pathogenesis and management of lower urinary tract infection. *Eur Urol*. 1987;13 Suppl 1:37-41.
43. Bhowmik D, Singh S. Complicated urinary tract infections. *J Indian Med Assoc*. 2013;111(8):545-9.
44. Billinson MR, Aubry RH. A comparative study of a screening test for bacteriuria. *Am J Obstet Gynecol*. 1970;108(6):988-9.
45. Bobeck S, Schersten B. Detection and diagnosis of bacteriuria in pregnancy. A study from general practice. *Practitioner*. 1974;212(1268):257-62.
46. Bookallil M, Chalmers E, Andrew B. Challenges in preventing pyelonephritis in pregnant women in Indigenous communities. *Rural Remote Health*. 2005;5(3):395.
47. Boucher M, Leduc L, Rinfret D. The pertinence of microscopic analysis of the urine as a diagnostic test for asymptomatic bacteriuria in pregnancy. *Union Med Can*. 1989;118(4):162-6.
48. Brant HA. Pregnancy and urinary tract infections. *Nurs Times*. 1973;69(29):919-21.
49. Brumfitt W. Localization of urinary tract infection. *Del Med J*. 1970;42(11):311-15.
50. Campos-Outcalt DE, Corta PJ. Screening for asymptomatic bacteriuria in pregnancy. *J Fam Practice*. 1985;20(6):589-91.
51. Carroll R, MacDonald D. The detection and treatment of bacteriuria in pregnancy. An essential part of antenatal care. *J Ir Med Assoc*. 1967;60(358):115-7.
52. Cattell WR. Urinary tract infection in women. *J R Coll Physicians Lond*. 1997;31(2):130-3.
53. Chauveau D, Jungers P, Grunfeld JP. Urinary tract infections during pregnancy. Diagnosis, course, prognosis and treatment. *Rev Prat*. 1997;47(17):1933-6.
54. Chng PK, Hall MH. Antenatal prediction of urinary tract infection in pregnancy. *Br J Obstet Gynaecol*. 1982;89(1):8-11.
55. Chongsomchai C, Piansriwatchara E, Lumbiganon P, Pianthaweechai K. Screening for asymptomatic bacteriuria in pregnant women: urinalysis versus urine culture. *J Med Assoc Thai*. 1999;82(4):369-73.
56. Cohen SN, Kass EH. A simple method for quantitative urine culture. *N Engl J Med*. 1967;277(4):176-80.
57. Colau JC. Pyelonephritis in pregnancy. *Rev Prat*. 1993;43(9):1091-5.
58. Colau JC. Urinary infections in pregnancy. *Revue du Praticien - Gynécologie et Obstétrique*. 2004(83):16-8.
59. Coltman KM. Urinary screening in general practice. *Practitioner*. 1981;225(1355):668-72.
60. Cormican M, Murphy AW, Vellinga A. Interpreting asymptomatic bacteriuria. *BMJ*. 2011;343:d4780.
61. Czerwinski AW, Wilkerson RG, Braden B, Merrill JA, Colmore JP. Evaluation of first morning urine to detect significant bacteriuria. I. *Am J Obstet Gynecol*. 1971;110(1):42-5.
62. Czerwinski AW, Wilkerson RG, Merrill JA, Braden B, Colmore JP. Further evaluation of the Griess test to detect significant bacteriuria. II. *Am J Obstet Gynecol*. 1971;110(5):677-81.
63. Dale GA. Iatrogenic urinary infections. *Urol Clin North Am*. 1975;2(3):471-84.
64. Daugaard HO, Thomsen AC, Henriques U, Ostergaard A. Group B streptococci in the lower urogenital tract and late abortions. *Am J Obstet Gynecol*. 1988;158(1):28-31.
65. Davis JR, Stager CE. Detection of asymptomatic bacteriuria in obstetric patients with a semiautomated urine screen. *Am J Obstet Gynecol*. 1985;151(8):1069-73.
66. Demilie T, Beyene G, Melaku S, Tsegaye W. Diagnostic accuracy of rapid urine dipstick test to predict urinary tract infection among pregnant women in Felege Hiwot Referral Hospital, Bahir Dar, North West Ethiopia. *BMC Res Notes*. 2014;7:481.
67. d'Ercole C, Blanc B. Urinary infections during pregnancy. Diagnosis, course, prognosis, treatment. *Rev Prat*. 1994;44(8):1097-103.
68. DeShan PW, Merrill JA, Wilkerson RG, Braden B. The Griess test as a screening procedure for bacteriuria during pregnancy. *Obstet Gynecol*. 1966;27(2):202-5.

69. Devi PK, Sutaria UD, Asolkar P, Deshmukh M. Diagnosis of latent urinary tract infections in pregnancy. Study of the iron sorbitol citric acid provocative test. *Am J Obstet Gynecol*. 1967;97(1):39-42.
70. Dhanalakshmi TA, Nagarathnamma D, Venkatesha D, Basavaraja HC. Screening tests for asymptomatic bacteriuria in pregnant women. *Journal of Pure and Applied Microbiology*. 2012;6(3):1309-12.
71. Diadhiou F, Mboup S, Koly F, Boye CS, Moreau JC. Urinary infections in gyneco-obstetrical practice at DAKAR U.H.C. Dakar Med. 1990;35(1):1-9.
72. Dietrich M, Hoosen AA, Moodley J, Moodley S. Urogenital tract infections in pregnancy at King Edward VIII Hospital, Durban, South Africa. *Genitourin Med*. 1992;68(1):39-41.
73. Egdell RW, Clark J. Microstix: inexpensive detection of asymptomatic bacteriuria. *Delaware Med J*. 1974;46(7):343-6.
74. Eigbefoh JO, Isabu P, Okpere E, Abebe J. The diagnostic accuracy of the rapid dipstick test to predict asymptomatic urinary tract infection of pregnancy. *J Obstet Gynaecol*. 2008;28(5):490-5.
75. Eli Lilly and Company. Cephaloglycin dihydrate (Kafocin). *Clin Pharmacol Ther*. 1970;11(6):925-6.
76. Emmerson AM. The use of a simple test for hypoglucosuria (uriglox) in the diagnosis of bacteriuria in pregnancy. *J Obstet Gynaecol Br Commonw*. 1972;79(9):828-32.
77. Etherington IJ, James DK. Reagent strip testing of antenatal urine specimens for infection. *Br J Obstet Gynaecol*. 1993;100(9):806-8.
78. Faidah HS, Ashshi AM, Abou El-Ella GA, Al-Ghamdi AK, Mohamed AM. Urinary tract infections among pregnant women in Makkah, Saudi Arabia. *Biomedical and Pharmacology Journal*. 2013;6(1):1-7.
79. Fairley KF, Radford NJ, Whitworth JA. Spontaneous ascent of infection from bladder to kidney in pregnancy. *Med J Aust*. 1972;2(20):1116-8. Epub 1972/11/11.
80. Farrar WE, Jr. Infections of the urinary tract. *Med Clin North Am*. 1983;67(1):187-201.
81. Fass RJ, Klainer AS, Perkins RL. Urinary tract infection. Practical aspects of diagnosis and treatment. *JAMA*. 1973;225(12):1509-13.
82. Finnerty FA, Jr., Johnson AC. A simplified accurate method for detecting bacteriuria. *Am J Obstet Gynecol*. 1968;101(2):238-43.
83. Franz M, Horl WH. Common errors in diagnosis and management of urinary tract infection. II: clinical management. *Nephrol Dial Transplant*. 1999;14(11):2754-62.
84. Gatti F, Accigliaro G, Vandepitte J. Asymptomatic bacteriuria in the Congolese pregnant woman. Preliminary data on its incidence and relation to the sickle trait. *Annales de la Société Belge de Médecine Tropicale*. 1967;47(6):413-24.
85. Gilbert GL, Garland SM, Fairley KF, McDowall DM. Bacteriuria due to ureaplasmas and other fastidious organisms during pregnancy: prevalence and significance. *Pediatr Infect Dis*. 1986;5(6 Suppl):S239-43.
86. Gordon MC, Hankins GD. Urinary tract infections and pregnancy. *Compr Ther*. 1989;15(9):52-8.
87. Goss LB, Franklin RR, Hunter WC, Skogland HL. Asymptomatic Bacteriuria of Pregnancy and Detection by a Simple Stain. *Am J Obstet Gynecol*. 1963;87:493-8.
88. Graninger W, Fleischmann D, Schneeweiss B, Aram L, Stockenhuber F. Rapid screening for bacteriuria in pregnancy. *Infection*. 1992;20(1):9-11.
89. Greeff A, Jeffery B, Pattinson RC. Uricult trio as a screening test for bacteriuria in pregnancy. *SAMJ*. 2002;92(4):306-9.
90. Greenberg ND, Stamler J, Zackler J, Andelman SL. Detection of urinary tract infections in pregnant women. *Public Health Rep*. 1965;80(9):805-11.
91. Grob PR. Urinary tract infection in general practice. Practical problems. *Practitioner*. 1978;221(1322):237-41.
92. Gruneberg RN, Reeves DS. Bacteriuria in pregnancy. *Br Med J*. 1971;1(5740):107-8.
93. Guinn DA, Wigton TR, Owen J, Socol ML, Frederiksen MC. Prediction of preterm birth in nulliparous patients. *Am J Obstet Gynecol*. 1994;171(4):1111-5.
94. Gunes G, Gunes A, Tekiner S, Karaoglu L, Kaya M, Pehlivan E. Bacteriuria and socioeconomic associations among pregnant women in Malatya, Turkey. *Public Health*. 2005;119(11):1039-41.
95. Hagay Z, Levy R, Miskin A, Milman D, Sharabi H, Insler V. Uriscreen, a rapid enzymatic urine screening test: useful predictor of significant bacteriuria in pregnancy. *Obstet Gynecol*. 1996;87(3):410-3.
96. Harlass FF, Duff P, Herd M. The evaluation of urine pH in screening for asymptomatic bacteriuria in pregnancy. *Mil Med*. 1990;155(2):49-51.
97. Harris RE. Acute urinary tract infections and subsequent problems. *Clin Obstet Gynecol*. 1984;27(4):874-90.
98. Harris RE. Causes and treatment of genitourinary tract infections. *Compr Ther*. 1983;9(8):48-53.
99. Hatala M, Prat V, Beer O. Tetrazolium test (T.T.C.) in the screening of asymptomatic bacteriuria in pregnancy. *Rev Czech Med*. 1965;11(3):198-202.
100. Henning C, Bucht H, Kallings LO. Results from the routine detection of bacteriuria in antenatal care in Stockholm County. *Acta Pathol Microbiol Scand Microbiol Immunol*. 1971;79(3):446.
101. Hewitt JA, Weiner M, Monzon OT, Rigler LG. The roentgen evaluation of bacteriuria associated with pregnancy. *Radiology*. 1969;93(1):104-8. Epub 1969/07/01.

102. Holloway WJ. Diagnosis and treatment of infections of the urinary tract. *Del Med J.* 1982;54(6):351-5.
103. Hutchings RF, Gordon CC, Thwaites RE. The "Uroscreen" test for significant bacteriuria in pregnancy. *West Indian Med J.* 1970;19(2):71-7.
104. Jayalakshmi J, Jayaram VS. Evaluation of various screening tests to detect asymptomatic bacteriuria in pregnant women. *Indian J Pathol Microbiol.* 2008;51(3):379-81.
105. John P. A study of asymptomatic bacteriuria among the maternal care patients attending the Maternal and Child Health Clinic, Dhahran, Saudi Arabia. *Am J Obstet Gynecol.* 1971;111(1):26-30.
106. Kacmaz B, Cakir O, Aksoy A, Biri A. Evaluation of rapid urine screening tests to detect asymptomatic bacteriuria in pregnancy. *Jpn J Infect Dis.* 2006;59(4):261-3.
107. Karabulut A. Asymptomatic bacteriuria in pregnancy: Can automated urinanalysis be helpful for detection? *Journal of the Turkish German Gynecology Association.* 2007;8(4):367-71.
108. Kass EH, Zinner SH. Bacteriuria and renal disease. *The Journal of infectious diseases.* 1969;120(1):27-46.
109. Kazemier BM, Koningstein FN, Schneeberger C, Ott A, Bossuyt PM, de Miranda E, et al. Maternal and neonatal consequences of treated and untreated asymptomatic bacteriuria in pregnancy: a prospective cohort study with an embedded randomised controlled trial. *Lancet Infect Dis.* 2015;15(11):1324-33.
110. Kazemier BM, Koningstein FN, Schneeberger C, Ott A, Bossuyt PM, Miranda E, et al. Maternal and neonatal consequences of asymptomatic bacteriuria in pregnancy-the ASB trial. *Reproductive Sciences* (Thousand Oaks, Calif) [Internet]. 2014; (3 suppl. 1):[255a.]. Available from: <http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/608/CN-01061608/frame.html>, http://rsx.sagepub.com/content/21/3_suppl/71A.full.pdf.
111. Kazemier BM, Schneeberger C, De Miranda E, Van Wassenaer A, Bossuyt PM, Vogelvang TE, et al. Costs and effects of screening and treating low risk women with a singleton pregnancy for asymptomatic bacteriuria, the ASB study. *BMC Pregnancy Childbirth.* 2012;12:52.
112. Kehinde A, Adedapo K, Aimakhu C, Odukogbe AT, Olayemi O, Salako B. Urinary pathogens and drug susceptibility patterns of urinary tract infections among antenatal clinic attendees in Ibadan, Nigeria. *J Obstet Gynaecol Res.* 2012;38(1):280-4.
113. Khanna SD, Puri DS. Asymptomatic Bacteriuria and Value of Triphenyl Tetrazolium Chloride Test as a Screening Aid. *Indian J Med Sci.* 1964;18:457-60.
114. Kodikara H, Seneviratne H, Kaluarachchi A, Corea E. Diagnostic accuracy of nitrite dipstick testing for the detection of bacteriuria of pregnancy. *Public Health.* 2009;123(5):393-4.
115. Kovavisarach E, Vichaipruck M, Kanjanahareutai S. Reagent strip testing for antenatal screening and first meaningful of asymptomatic bacteriuria in pregnant women. *J Med Assoc Thai.* 2008;91(12):1786-90.
116. Kullander S, Rannevik G. Diagnosis and treatment of urinary tract infection during pregnancy. *Triangle.* 1969;9(3):98-103.
117. Kumar S, Dave A, Wolf B, Lerma EV. Urinary tract infections. *Dis Mon.* 2015;61(2):45-59. Epub 2015/03/04.
118. Kunin CM. New methods in detecting urinary tract infections. *Urol Clin North Am.* 1975;2(3):423-32.
119. Lawson DH, Miller AW. Screening for bacteriuria in pregnancy. A critical reappraisal. *Arch Intern Med.* 1973;132(6):904-8.
120. Lawson DH, Miller AW. Screening for bacteriuria in pregnancy. *Lancet.* 1971;1(7706):968-9.
121. Leroy-Brasme T, Querleu D, Biserte J. Urinary tract infection during pregnancy. *Rev Prat.* 1991;41(6):548-53.
122. Levine MG. The diagnosis of urinary tract infections during pregnancy. *Nebr Med J.* 1993;78(8):282-5.
123. López-Jaramillo P, Herrera JA, Arenas-Mantilla M, Jáuregui IE, Mendoza MA. Subclinical infection as a cause of inflammation in preeclampsia. *Am J Therapeutics.* 2008;15(4):373-6 4p.
124. Lorentzon S, Hovelin B, Miörner H, Tendler M, Åberg A. The diagnosis of bacteriuria during pregnancy. *Scand J Prim Health Care.* 1990;8(2):81-3.
125. Lucas MJ, Cunningham FG. Urinary infection in pregnancy. *Clinical Obstetrics and Gynecology.* 1993;36(4):855-68.
126. Lumbiganon P, Chongsomchai C, Chumworathayee B, Thinkhamrop J. Reagent strip testing is not sensitive for the screening of asymptomatic bacteriuria in pregnant women. *J Med Assoc Thai.* 2002;85(8):922-7.
127. Mahler H. Management of sexually transmitted diseases. *Network.* 1988;10(2):1-3.
128. Maillard F, Breart G, Uzan S. Evaluation of urinary rapid strip-tests for screening of urinary infection in pregnant women. *J Gynecol Obstet Biol Reprod (Paris).* 1994;23(8):909-13.
129. Marahatta R, Dhungel BA, Pradhan P, Rai SK, Choudhury DR. Asymptomatic bacteriuria among pregnant women visiting Nepal Medical College Teaching Hospital, Kathmandu, Nepal. *Nepal Med Coll J.* 2011;13(2):107-10.
130. Mathews JE, George S, Mathews P, Mathai E, Brahmadathan KN, Seshadri L. The Griess test: an inexpensive screening test for asymptomatic bacteriuria in pregnancy. *Aust N Z J Obstet Gynaecol.* 1998;38(4):407-10.
131. Matorras R, Garcia Perea A, Omenaca F, Usandizaga JA, Nieto A, Herruzo R. Group B streptococcus and premature rupture of membranes and preterm delivery. *Gynecol Obstet Invest.* 1989;27(1):14-8.
132. McAllister TA, Arneil GC, Barr W, Kay P. Assessment of plane dipslide quantitation of bacteriuria. *Nephron.* 1973;11(2):111-22.
133. McAllister TA. The day of the dipslide. *Nephron.* 1973;11(2):123-33.
134. McDonald PJ, Furness ET, Beasley NV. Dip-slide diagnosis of urinary tract infection. *Med J Aust.* 1972;1(1):20-3.

135. McIsaac W, Carroll JC, Biringer A, Bernstein P, Lyons E, Low DE, et al. Screening for asymptomatic bacteriuria in pregnancy. *J Obstet Gynaecol Can.* 2005;27(1):20-4.
136. McKenzie H, Donnet ML, Howie PW, Patel NB, Benvie DT. Risk of preterm delivery in pregnant women with group B streptococcal urinary infections or urinary antibodies to group B streptococcal and *E. coli* antigens. *Br J Obstet Gynaecol.* 1994;101(2):107-13.
137. McNair RD, MacDonald SR, Dooley SL, Peterson LR. Evaluation of the centrifuged and Gram-stained smear, urinalysis, and reagent strip testing to detect asymptomatic bacteriuria in obstetric patients. *Am J Obstet Gynecol.* 2000;182(5):1076-9.
138. McNeely SG, Baselski VS, Ryan GM. An evaluation of two rapid bacteriuria screening procedures. *Obstet Gynecol.* 1987;69(4):550-3.
139. Merrill JA, Colmore JP, Wilkerson RG, Braden BF, DeShan PW. Screening for asymptomatic bacteriuria during antepartum care. *Am J Obstet Gynecol.* 1967;99(2):216-20.
140. Mignini L, Carroli G, Abalos E, Widmer M, Amigot S, Nardin JM, et al. Accuracy of diagnostic tests to detect asymptomatic bacteriuria during pregnancy. *Obstet Gynecol.* 2009;113(2 Pt 1):346-52.
141. Millar L, DeBuque L, Leialoha C, Grandinetti A, Killeen J. Rapid enzymatic urine screening test to detect bacteriuria in pregnancy. *Obstet Gynecol.* 2000;95(4):601-4.
142. Mocarski V. Asymptomatic bacteriuria - a "silent" problem of pregnant women. *MCN Am J Matern Child Nurs.* 1980;5(4):238-41.
143. Mohammad M, Mahdy ZA, Omar J, Maan N, Jamil MA. Laboratory aspects of asymptomatic bacteriuria in pregnancy. *Southeast Asian J Trop Med Public Health.* 2002;33(3):575-80.
144. Mokube MN, Atashili J, Halle-Ekane GE, Ikomey GM, Ndumbe PM. Bacteriuria amongst pregnant women in the Buea Health District, Cameroon: prevalence, predictors, antibiotic susceptibility patterns and diagnosis. *PLoS ONE.* 2013;8(8):e71086.
145. Money D, Allen VM. The prevention of early-onset neonatal group B streptococcal disease. *Journal of Obstetrics and Gynaecology Canada.* 2016;38(12 Supplement):S326-S35.
146. Monif GR. Intrapartum bacteriuria and postpartum endometritis. *Obstet Gynecol.* 1991;78(2):245-8.
147. Mtimavalye LA, Runyoro DE, Massawe FN, Mhalu FS, Kanyawana JZ. Asymptomatic bacteriuria and concomitant presence of other micro-organisms in urine of pregnant women in Dar es Salaam -- Tanzania. *J Obstet Gynaecol East Cent Africa.* 1983;2(3):108-12.
148. Nachum R, Arce JJ, Berzofsky RN. Gram-negative bacteriuria of pregnancy: rapid detection by a chromogenic *Limulus amoebocyte lysate* assay. *Obstet Gynecol.* 1986;68(2):215-9.
149. Norden CW. Significance of bacteriuria in pregnancy. *Postgrad Med.* 1970;47(1):181-6.
150. Odigie JO, Anugweje KC. Asymptomatic bacteriuria in pregnancy in Port Harcourt. *Asian Pac J Trop Med.* 2010;3(7):580-3.
151. Okusanya BO, Aigere EO, Eigbefoh JO, Okome GB, Gigi CE. Is a chlorhexidine reaction test better than dipsticks to detect asymptomatic bacteriuria in pregnancy? *J Obstet Gynaecol.* 2014;34(1):21-4.
152. Olsen BE, Hinderaker SG, Lie RT, Gasheka P, Baerheim A, Bergsjo P, et al. The diagnosis of urinary tract infections among pregnant women in rural Tanzania; prevalences and correspondence between different diagnostic methods. *Acta Obstet Gynecol Scand.* 2000;79(9):729-36.
153. Onakoya JA, Amole OO, Ogunsanya OO, Tayo O. Comparing the specificity and sensitivity of nitrate and leucocyte tests on multistick in screening for urinary tract infections amongst pregnant women at Lagos State University Teaching Hospital Ikeja, Nigerian Quarterly Journal of Hospital Medicine. 2008;18(2):61-3.
154. Paillet L, Thoumsin H, Lambotte R. Diagnosis of asymptomatic urinary infections in pregnant women by detection of leukocyte esterase. *Rev Med Liege.* 1990;45(11):545-9.
155. Pels RJ, Bor DH, Woolhandler S, Himmelstein DU, Lawrence RS. Dipstick urinalysis screening of asymptomatic adults for urinary tract disorders. II. Bacteriuria. *JAMA.* 1989;262(9):1221-4.
156. Plauche WC, Janney FA, Curole DN. Screening for asymptomatic bacteriuria in pregnant patients: three office screening systems versus quantitative culture. *South Med J.* 1981;74(10):1227-9.
157. Reibstein AS. Urinary tract infections in women. *J Am Osteopath Assoc.* 1973;72(7):721-30.
158. Robertson AW, Duff P. The nitrite and leukocyte esterase tests for the evaluation of asymptomatic bacteriuria in obstetric patients. *Obstet Gynecol.* 1988;71(6 Pt 1):878-81.
159. Schub T, Kornusky J. Pyelonephritis in Pregnancy. In: Pravikoff D, editor. Glendale, CA: Cinahl Information Systems; 2015.
160. Shelton SD, Boggess KA, Kirvan K, Sedor F, Herbert WN. Urinary interleukin-8 with asymptomatic bacteriuria in pregnancy. *Obstet Gynecol.* 2001;97(4):583-6.
161. Slowinski EJ, Smith LG. A 10 second colorimetric test for asymptomatic bacteriuria in pregnancy. The office use of the griess test. *Am J Obstet Gynecol.* 1966;94(7):966-9.
162. Soisson AP, Watson WJ, Benson WL, Read JA. Value of a screening urinalysis in pregnancy. *J Reprod Med.* 1985;30(8):588-90.
163. Stenqvist K, Dahlgren-Nilsson I, Lidin-Janson G, Lincoln K, Oden A, Rignell S, et al. Bacteriuria in pregnancy. Frequency and risk of acquisition. *Am J Epidemiol.* 1989;129(2):372-9.
164. Szapiro N. Urinary tract infections and pregnant women. *Comptes Rendus de Thérapeutique et de Pharmacologie Clinique.*

- 1991;9(97):15+7-9.
165. Takagi LR, Mruz RM, Vanderplow MG. Screening obstetric out-patients for bacteriuria. *J Reprod Med*. 1975;15(6):229-31.
 166. Tan PC, King AS, Omar SZ. Screening for urinary tract infection in women with hyperemesis gravidarum. *J Obstet Gynaecol Res*. 2012;38(1):145-53.
 167. Teppa RJ, Roberts JM. The uriscreen test to detect significant asymptomatic bacteriuria during pregnancy. *J Soc Gynecol Investig*. 2005;12(1):50-3.
 168. Thakre SS, Dhakne SS, Thakre SB, Thakre AD, Ughade SM, Kale P. Can the Griess Nitrite Test and a Urinary Pus Cell Count of >5 Cells Per Micro Litre of Urine in Pregnant Women be Used for the Screening or the Early Detection of Urinary Tract Infections in Rural India? *J Clin Diagn Res*. 2012;6(9):1518-22.
 169. Thomas VL, Forland M. Antibody-coated bacteria in urinary tract infections. *Kidney Int*. 1982;21(1):1-7.
 170. Thommen DH. Asymptomatic bacteriuria and its detection during pregnancy. *Rev Med Suisse Romande*. 1975;95(3):181-7.
 171. Thoureen T, Scott S, Best J. Urinary Tract Infection. *Primary Care Reports*. 2015;21(5):53-63.
 172. Tincello DG, Richmond DH. Evaluation of reagent strips in detecting asymptomatic bacteriuria in early pregnancy: prospective case series. *BMJ*. 1998;316(7129):435-7.
 173. Ullah A, Barman A, Ahmed I, Salam A. Asymptomatic bacteriuria in pregnant mothers: a valid and cost-effective screening test in Bangladesh. *J Obstet Gynaecol*. 2012;32(1):37-41.
 174. Umar N, Kulsum SN, Ali L. Spectrum of urinary tract infections in pregnant women. *Biomedical and Pharmacology Journal*. 2013;6(2):349-53.
 175. United States Public Health Service. Urinalysis. *Am Fam Physician*. 1994;50(2):351-3.
 176. Urosepsis in early pregnancy results in death. *Contemporary OB/GYN*. 2015;60(2):50.
 177. Van Dorsten JP, Bannister ER. Office diagnosis of asymptomatic bacteriuria in pregnant women. *Am J Obstet Gynecol*. 1986;155(4):777-80.
 178. Verma I, Avasthi K, Berry V. Urogenital infections as a risk factor for preterm labor: a hospital-based case-control study. *J Obstet Gynaecol India*. 2014;64(4):274-8.
 179. Villefranque V, Colau JC. Urinary tract infection in pregnancy. *Rev Prat*. 2000;50(12):1379-82.
 180. Vinacur JC, Casellas JM, Rubi RA, Oneto EP. Serum anti-Escherichia coli antibodies and urinary beta-glucuronidase for the diagnosis and control of evolution of urinary infection during pregnancy. *Am J Obstet Gynecol*. 1974;120(6):812-6.
 181. Wadland WC, Plante DA. Screening for asymptomatic bacteriuria in pregnancy. A decision and cost analysis. *J Fam Physician*. 1989;29(4):372-6.
 182. Wagenlehner FME, Schmiemann G, Hoyme U, Funfstuck R, Hummers-Pradier E, Kaase M, et al. Epidemiology, diagnostics, therapy and management of uncomplicated bacterial community acquired urinary tract infections in adults short version 17 June 2010. *Chemotherapie Journal*. 2011;20(5):158-68.
 183. Wenzl JE. Bacteriuria: detection and screening techniques. *J Okla State Med Assoc*. 1971;64(10):402-6.
 184. Wilkie ME, Almond MK, Marsh FP. Diagnosis and management of urinary tract infection in adults. *BMJ*. 1992;305(6862):1137-41.
 185. Williams JD, Leigh DA, Rosser EI, Brumfitt W, Path MC. The Organization and Results of a Screening Programme for the Detection of Bacteriuria of Pregnancy. *J Obstet Gynaecol Br Commonw*. 1965;72:327-35.
 186. Wood EG, Dillon HC, Jr. A prospective study of group B streptococcal bacteriuria in pregnancy. *Am J Obstet Gynecol*. 1981;140(5):515-20.
 187. Wright OR, Safranek S. FPIN's clinical inquiries. Urine dipstick for diagnosing urinary tract infection. *Am Fam Physician*. 2006;73(1):129-30 2p.
 188. Zaki MM, Shabban MM. Asymptomatic bacteriuria in pregnancy in Assiut, Upper Egypt. II. Evaluation of 3 screening tests for its detection. *J Egypt Med Assoc*. 1971;54(2):130-8.
 189. Zwahlen A. Bacteriuria and pyelonephritis in pregnancy. *Rev Med Suisse Romande*. 1984;104(8):577-82.

Studies Excluded Due to Population (56)

190. Acharya VN, Jadav SK. Urinary tract infection: current status. *Journal of Postgraduate Medicine*. 1980;26(2):95-8.
191. Al Sairafi S, Serhan N. Prevalence of UTI among pregnant women attending the antenatal clinics in primary health care centres. *Journal of the Bahrain Medical Society*. 2006;18(1):49-53.
192. Avar Z, Gero G, Hajagos E. Effect of pyelonephritis during pregnancy on mother and fetus. *Acta Chir Acad Sci Hung*. 1980;21(3):203-11.
193. Badran YA, El-Kashef TA, Abdelaziz AS, Ali MM. Impact of genital hygiene and sexual activity on urinary tract infection during pregnancy. *Urol Ann*. 2015;7(4):478-81.
194. Bandyopadhyay S, Thakur JS, Ray P, Kumar R. High prevalence of bacteriuria in pregnancy and its screening methods in north India. *J Indian Med Assoc*. 2005;103(5):259-62, 66.
195. Bayraktar MR, Ozerol IH, Gucluer N, Celik O. Prevalence and antibiotic susceptibility of *Mycoplasma hominis* and *Ureaplasma urealyticum* in pregnant women. *Int J Infect Dis*. 2010;14(2):e90-5.

196. Beard RW, McCoy DR, Newton JR, Clayton SG. Diagnosis of urinary infection by suprapubic bladder puncture. *Lancet*. 1965;2(7413):610-1.
197. Berg E, Benson DM, Haraszkiewicz P, Grieb J, McDonald J. High prevalence of sexually transmitted diseases in women with urinary infections. *Acad Emerg Med*. 1996;3(11):1030-4.
198. Bhaskar R, Taraporewalla RE, Singh N. The value of T.T.C. test: The value of T.T.C. test for routine screening of antenatal cases on a mass scale for detection of urinary tract infections. *Antiseptic*. 1973;70(5):331-4.
199. Buzayan MM, Tobgi RS. Comparison of urine culture, microscopy and nitrite dipstick tests in the detection of urinary tract infection. *Journal of the Bahrain Medical Society*. 2008;20(3):124-7.
200. Chacko B, Sohi I. Early onset neonatal sepsis. *Indian J Pediatr*. 2005;72(1):23-6.
201. Chalmers L, Cross J, Chu CS, Phyto AP, Trip M, Ling C, et al. The role of point-of-care tests in antibiotic stewardship for urinary tract infections in a resource-limited setting on the Thailand-Myanmar border. *Trop Med Int Health*. 2015;20(10):1281-9.
202. Chan LK, Chan WH, Yu M, Chan DP. Investigation of urinary tract infection in a group of pregnant women. *Singapore Med J*. 1968;9(2):86-8.
203. Coltman KM. Urinary tract infections. New thoughts on an old subject. *Practitioner*. 1979;223(1335):351-5.
204. Dechen TC, Sumit K, Ranabir P. Correlates of Vaginal Colonization with Group B Streptococci among Pregnant Women. *J Glob Infect Dis*. 2010;2(3):236-41.
205. Dewaelheyns E. Study of the Griess test as a method of detecting bacteriuria during pregnancy. *Bull Soc R Belge Gynecol Obstet*. 1967;37(2):139-46.
206. Drazancic A, Delmis J, Blajic J, Kuvacic I, Latin V. Bacteriuria in diabetic pregnancies. *Diabetologia Croatica*. 1997;26(4):175-81.
207. D'Souza Z, D'Souza D. Urinary tract infection during pregnancy--dipstick urinalysis vs. culture and sensitivity. *J Obstet Gynaecol*. 2004;24(1):22-4.
208. Duckman S, Chen WY, Spitaleri J, Steers E. Comparison of paired midstream-voided and catheterization urine samples from the postpartum clinic population. *Am J Obstet Gynecol*. 1970;106(8):1184-6.
209. Fadel HE, Sabour MS, Mahran M, Seif-el-Djn D, el-Mahallawi MN. The incidence of chronic pyelonephritis diagnosed by renal biopsy and bacterial counts in pre-eclamptic and eclamptic women. *J Egypt Med Assoc*. 1970;53(3):235-48.
210. Felding C. Obstetric studies in women with histories of urinary infections. *Acta Obstet Gynecol Scand*. 1965;44(2):304-16.
211. Finch RM, Finch J. Bacteriological counts of urines in general practice. *J R Coll Gen Pract*. 1970;19(93):201-10.
212. Gayathree L, Shetty S, Deshpande SR, Venkatesha DT. Screening for asymptomatic bacteriuria in pregnancy: An evaluation of various screening tests at the hassan district hospital, India. *Journal of Clinical and Diagnostic Research*. 2010;4(4):2702-6.
213. Gutierrez-Fernandez J, Lara A, Bautista MF, de Dios Luna J, Polo P, Miranda C, et al. Performance of the Sysmex UF1000i system in screening for significant bacteriuria before quantitative culture of aerobic/facultative fast-growth bacteria in a reference hospital. *J Appl Microbiol*. 2012;113(3):609-14.
214. Harris RE, Gilstrap LC, 3rd. Prevention of recurrent pyelonephritis during pregnancy. *Obstet Gynecol*. 1974;44(5):637-41.
215. Haukkamaa M, Nilsson CG, Luukkainen T. Screening, management, and outcome of pregnancy in diabetic mothers. *Obstet Gynecol*. 1980;55(5):596-602.
216. Jido TA. Urinary tract infections in pregnancy: evaluation of diagnostic framework. *Saudi J Kidney Dis Transpl*. 2014;25(1):85-90.
217. Kutlay S, Kutlay B, Karaahmetoglu O, Ak C, Erkaya S. Prevalence, detection and treatment of asymptomatic bacteriuria in a Turkish obstetric population. *J Reprod Med*. 2003;48(8):627-30.
218. Kweon OJ, Choi JH, Song UH, Park AJ. Performance evaluation of a DNA chip assay in the identification of major genitourinary pathogens. *J Microbiol Methods*. 2015;109:117-22.
219. Lavanya SV, Jugalakshmi D. Asymptomatic bacteriuria in antenatal women. *Indian J*. 2002;20(2):105-6.
220. Lenke RR, Van Dorsten JP. The efficacy of the nitrite test and microscopic urinalysis in predicting urine culture results. *Am J Obstet Gynecol*. 1981;140(4):427-9.
221. Lynn KL, Bailey RR. Pregnancy and the nephrologist: a review of one year's experience. *N Z Med J*. 1983;96(733):433-5.
222. Maayan-Metzger A, Mazkereth R, Shani A, Kuint J. Risk factors for maternal intrapartum fever and short-term neonatal outcome. *Fetal Pediat Pathol*. 2006;25(3):169-77.
223. Manjula NG, Math GC, Patil SA, Gaddad SM, Shivannavar CT. Prevalence of MDR-ESbetaL producing Escherichia coli isolated from urinary tract infections of pregnant women in Karnataka. *Journal of Pure and Applied Microbiology*. 2014;8(5):3765-71.
224. Masinde A, Gumodoka B, Kilonzo A, Mshana SE. Prevalence of urinary tract infection among pregnant women at Bugando Medical Centre, Mwanza, Tanzania. *Tanzan J Health Res*. 2009;11(3):154-9.
225. McGready R, Wuthiekanun V, Ashley EA, Tan SO, Pimanpanarak M, Viladpai-Nguen SJ, et al. Diagnostic and treatment difficulties of pyelonephritis in pregnancy in resource-limited settings. *Am J Trop Med Hyg*. 2010;83(6):1322-9.
226. Mohankumar T, Chitkara YK, Joseph PS. Detection of bacteriuria--a comparison of tow methods. *Indian J Pathol Bacteriol*. 1970;13(3):114-8.

227. Muraleetharan M, Viswanathan T. Epidemiological studies on varying extended-spectrum beta-lactamases producing uropathogenic bacteria. International Journal of Pharmacy and Pharmaceutical Sciences. 2014;6(11):57-60.
228. Park JC, Buono D, Smith DK, Peipert JF, Sobel J, Rompalo A, et al. Urinary tract infections in women with or at risk for human immunodeficiency virus infection. Am J Obstet Gynecol. 2002;187(3):581-8.
229. Parsons CL, Bullen M, Kahn BS, Stanford EJ, Willems JJ. Gynecologic presentation of interstitial cystitis as detected by intravesical potassium sensitivity. Obstet Gynecol. 2001;98(1):127-32.
230. Paterson L, Miller A, Henderson A. Suprapubic aspiration of urine in diagnosis of urinary-tract infections during pregnancy. Lancet. 1970;1(7658):1195-6.
231. Paterson L, Miller AW. Clinical trial of a chemical test for bacteriuria. J Clin Pathol. 1973;26(5):375-6.
232. Patney ML, Rumer MA, Angle CR. Bacteriuria: reliable detection by mini culture. Nebr State Med J. 1971;56(5):201-4.
233. Seligman SJ, Deigh RA, Hewitt WL. Detection of bacteriuria by a filter paper inoculating strip. Am J Obstet Gynecol. 1968;102(6):890-5.
234. Sinclair T, Tuxford AF. The incidence of urinary-tract infection and asymptomatic bacteriuria in a semi-rural practice. The Practitioner. 1971;207(237):81-4.
235. Solaro L. Fastidious bacteriuria and pyuria. G Batteriol Virol Immunol. 1985;78(1-6):8-14.
236. Southern PM, Jr., Luttrell B. Use of the Becton-Dickinson urine culture tube with the Abbott MS-2 urine screening system. Diagn Microbiol Infect Dis. 1984;2(3):193-8.
237. Spinillo A, Capuzzo E, Stronati M, Ometto A, De Santolo A, Acciano S. Obstetric risk factors for periventricular leukomalacia among preterm infants. Br J Obstet Gynaecol. 1998;105(8):865-71.
238. Su SB, Wang JN, Lu CW, Wang HY, Guo HR. Prevalence of urinary tract infections and associated factors among pregnant workers in the electronics industry. International Urogynecology Journal and Pelvic Floor Dysfunction. 2009;20(8):939-45.
239. Tuxford AF. Unsuspected urinary infection in general practice. The Journal of the Royal College of General Practitioners. 1970;20(96):22-6.
240. van Rooyen AJ. Pregnancy and the lower urinary tract: ii. Urinary bacteriological and microscopical studies on 300 pregnant females. S Afr Med J. 1969;43(26):818-9. Epub 1969/06/28.
241. Vicchi MF. Special aspects in the diagnosis and treatment of urinary tract infections in pregnancy and the puerperium. Am J Obstet Gynecol. 1967;99(7):994-9.
242. Virtanen S. Colony count from mid-stream voided urine specimens as a screening method for bacteriuria in pregnant females. Acta Pathol Microbiol Scand. 1962;55:378-83.
243. Williams JD, Thominson JL, Cole JG, Cope E. Asymptomatic urinary tract infection in gynaecological outpatients. Br Med J. 1969;1(5635):29-31.
244. Wren BG. The value of leucocyte excretion rates in determining "at risk" patient with asymptomatic bacilluria. J Obstet Gynaecol Br Commonw. 1971;78(2):130-5.
245. Zinner SH, Kass EH. Long-term (10 to 14 years) follow-up of bacteriuria of pregnancy. New Engl J Med [Internet]. 1971; (15):820. Available from: <http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/201/CN-00006201/frame.html>.

Studies Excluded Due to Intervention (16)

246. Akman I, Imir G, Dokmeci C, Over U, Ozek E, Soyletir G, et al. Prevalence of group B streptococcus colonization and intrapartum antibiotic prophylaxis at Marmara University Hospital. Marmara Medical Journal. 2001;14(2):79-83.
247. Al-Dabbagh SA, Al-Taee WY. Risk factors for pre-term birth in Iraq: a case control study...reprinted from BMC Pregnancy and Childbirth 2006, 6:13 doi:10.1186/1471-2393-6-13. Neonatal Intensive Care. 2006;19(4):41-44.
248. Bennett IM, Coco A, Anderson J, Horst M, Gambler AS, Barr WB, et al. Improving maternal care with a continuous quality improvement strategy: a report from the Interventions to Minimize Preterm and Low Birth Weight Infants through Continuous Improvement Techniques (IMPLICIT) Network. J Am Board Fam Med. 2009;22(4):380-6.
249. Bhargava SK, Singh KK, Saxena BN. ICMR Task Force National Collaborative Study on Identification of High Risk Families, Mothers and Outcome of their Off-springs with particular reference to the problem of maternal nutrition, low birth weight, perinatal and infant morbidity and mortality in rural and urban slum communities. Summary, conclusions and recommendations. Indian Pediatr. 1991;28(12):1473-80.
250. Etminan-Bakhsh M, Darabi R, Tadi S, Mohit M. Frequency survey of asymptomatic bacteriuria in pregnant women attending boo-ali hospital, Tehran. Galen Medical Journal. 2015;4(4):159-63.
251. Faro S, Brehm B, Smith F, Mouzoon M, Greisinger A, Wehmanen O, et al. Screening for group B streptococcus: A private hospital's experience. Infectious Diseases in Obstetrics and Gynecology. 2010;2010 (no pagination).
252. Friedman AM, Phipps MG, Raker CA, Anderson BL. Pyelonephritis during pregnancy as a marker for quality of prenatal care. J Matern Fetal Neonatal Med. 2012;25(6):739-42.
253. Heffner LJ, Sherman CB, Speizer FE, Weiss ST. Clinical and environmental predictors of preterm labor. Obstet Gynecol. 1993;81(5 (Pt 1)):750-7.
254. Ollberding NJ, Volgyi E, Macaluso M, Kumar R, Morrow C, Tylavsky FA, et al. Urinary microbiota associated with preterm

- birth: Results from the conditions affecting neurocognitive development and learning in early childhood (CANDLE) study. *PLoS ONE*. 2016;11(9):e0162302.
255. Quteitat A, Shraideh I, Malek AM, Gowieri A, Alnashash H, Amarin ZO. Maternal morbidity: results of a country-wide review. *Arch Gynecol Obstet*. 2012;286(6):1357-62.
 256. Rachdi R, Chlyah M, Messaoudi F, Kallel M, Yazidi M, Basly M, et al. Intra-uterine growth retardation: etiologic factors and management. *Tunis Med*. 2005;83(11):688-93.
 257. Rodriguez E, Raker CA, Paglia MJ, Anderson BL. Compliance with group B streptococcus testing prior to labor and delivery. *Am J Perinatol*. 2010;27(6):475-9.
 258. Shamsi U, Hatcher J, Shamsi A, Zuberi N, Qadri Z, Saleem S. A multicentre matched case control study of risk factors for preeclampsia in healthy women in Pakistan. *BMC Womens Health*. 2010;10:14.
 259. Van Dyke MK, Phares CR, Lynfield R, Thomas AR, Arnold KE, Craig AS, et al. Evaluation of universal antenatal screening for group B streptococcus. *Obstetrical and Gynecological Survey*. 2009;64(11):703-4.
 260. Wattal C, Raveendran R, Kotwani A, Sharma A, Bhandari SK, Sorensen TI, et al. Establishing a new methodology for monitoring of antimicrobial resistance and use in the community in a resource poor setting. *Journal of Applied Therapeutic Research*. 2009;7(2):37-45.
 261. Wing DA, Fassett MJ, Getahun D. Acute pyelonephritis in pregnancy: an 18-year retrospective analysis. *Am J Obstet Gynecol*. 2014;210(3):219.e1-6.

Studies Excluded due to Comparator (56)

262. Abduljabbar H, Moumena RA, Mosli HA, Khan AS, Warda A. Urinary tract infection in pregnancy. *Ann Saudi Med*. 1991;11(3):322-4.
263. Agger WA, Siddiqui D, Lovrich SD, Callister SM, Borgert AJ, Merkitch KW, et al. Epidemiologic factors and urogenital infections associated with preterm birth in a midwestern U.S. population. *Obstet Gynecol*. 2014;124(5):969-77.
264. Alijahan R, Hazrati S, Mirzarahimi M, Pourfarzi F, Ahmadi Hadi P. Prevalence and risk factors associated with preterm birth in Ardabil, Iran. *Iran J Reprod Med*. 2014;12(1):47-56.
265. Alvarez JR, Fechner AJ, Williams SF, Ganesh VL, Apuzzio JJ. Asymptomatic bacteriuria in pregestational diabetic pregnancies and the role of group B streptococcus. *Am J Perinatol*. 2010;27(3):231-4 4p.
266. Amiri FN, Rooshan MH, Ahmady MH, Soliamani MJ. Hygiene practices and sexual activity associated with urinary tract infection in pregnant women. *East Mediterr Health J*. 2009;15(1):104-10.
267. Atacag T, Yayci E, Guler T, Suer K, Yayci F, Deren S, et al. Asymptomatic bacteriuria screened by catheterized samples at pregnancy term in women undergoing cesarean delivery. *Clin Exp Obstet Gynecol*. 2015;42(5):590-4.
268. Austenfeld MS, Snow BW. Complications of pregnancy in women after reimplantation for vesicoureteral reflux. *J Urol*. 1988;140(5 Pt 2):1103-6.
269. Bailey RR. Urinary infection in pregnancy. *N Z Med J*. 1970;71(455):216-20.
270. Bilir F, Akdemir N, Ozden S, Ceviroglu AS, Bilir C. Increased serum procalcitonin levels in pregnant patients with asymptomatic bacteriuria. *Ann Clin Microbiol Antimicrob*. 2013;12:25.
271. Birch CD, Fischer-Rasmussen W, Vejlsgaard R. The long-term prognosis of bacteriuria in pregnancy. A 16 to 17 year follow-up study. *Acta Obstet Gynecol Scand*. 1987;66(4):291-5.
272. Brumfitt W. The effects of bacteriuria in pregnancy on maternal and fetal health. *Kidney Int*. 1975;8(Sup.4):113-9.
273. Carroll R, MacDonald D, Stanley JC. Bacteriuria in pregnancy. *Obstet Gynecol*. 1968;32(4):525-7.
274. Celen S, Oruc AS, Karayalcin R, Saygan S, Unlu S, Polat B, et al. Asymptomatic bacteriuria and antibacterial susceptibility patterns in an obstetric population. *ISRN Obstet Gynecol*. 2011;2011:721872.
275. Chaula T, Seni J, Ng'walida N, Kajura A, Mirambo MM, DeVinney R, et al. Urinary tract infections among hiv-positive pregnant women in mwanza city, tanzania, are high and predicted by low CD4+ count. *International Journal of Microbiology*. 2017;2017:4042686.
276. Constable PJ. The triphenyl tetrazolium chloride test in general-practitioner antenatal care. *Lancet*. 1966;2(7456):195-6.
277. Dimetry SR, El-Tokhy HM, Abdo NM, Ebrahim MA, Eissa M. Urinary tract infection and adverse outcome of pregnancy. *J Egypt Public Health Assoc*. 2007;82(3-4):203-18.
278. Dixon HG, Brant HA. The significance of bacteriuria in pregnancy. *Lancet*. 1967;1(7480):19-20.
279. Ekwempu CC, Lawande RV. Continuous bladder drainage and bacteruria in obstetrics. *Trop Doct*. 1985;15(1):32-3.
280. Fairley KF, Bond AG, Adey FD. The site of infection in pregnancy bacteriuria. *Lancet*. 1966;1(7444):939-41.
281. Fairley KF, Whitworth JA, Radford NJ, Butler HM. Pregnancy bacteriuria: the significance of site of infection. *Med J Aust*. 1973;2(9):424-7.
282. Fede T, Valente S, Bertasi M. Evaluation of a prospective study on the urinary tract infections in pregnancy. *Clin Exp Obstet Gynecol*. 1983;10(2-3):131-4.
283. Foley ME, Farquharson R, Stanley JC, MacDonald DW. Urinary tract infection in pregnancy. *Ir Med J*. 1982;75(6):188-9.
284. Furness ET, McDonald PJ, Beasley NV. Urinary antiseptics in asymptomatic bacteriuria of pregnancy. *N Z Med J*.

1975;81(539):417-9.

285. Gebre-Selassie S. Asymptomatic bacteriuria in pregnancy: epidemiological, clinical and microbiological approach. *Ethiop Med J*. 1998;36(3):185-92.
286. Gofin R, Palti H, Adler B. Bacteriuria in pregnancy and growth and development of the infants. *Early Hum Dev*. 1984;9(4):341-6.
287. Haider G, Zehra N, Munir AA, Haider A. Risk factors of urinary tract infection in pregnancy. *JPMA J Pak Med Assoc*. 2010;60(3):213-6.
288. Hall DR, Theron GB, van der Horst W. Significance and treatment of asymptomatic bacteriuria during pregnancy. *Int J Gynaecol Obstet*. 1997;57(2):179-80.
289. Hantush Zadeh S, Khosravi D, Shahbazi F, Kaviani Jebeli Z, Ahmadi F, Shirazi M. Idiopathic urinary findings and fetal growth restriction in low risk pregnancy. *European Journal of Obstetrics Gynecology and Reproductive Biology*. 2013;171(1):57-60.
290. Heineman HS, Lee JH. Bacteriuria in pregnancy. A heterogeneous entity. *Obstet Gynecol*. 1973;41(1):22-6.
291. Hisham Al-Sibai M, Saha A, Rasheed P. Socio-biological correlates of bacteriuria in Saudi pregnant women. *Public Health*. 1989;103(2):113-21.
292. Hosny A, El-Khayat W, Kashef MT, Fakhry MN. Association between preterm labor and genitourinary tract infections caused by Trichomonas vaginalis, Mycoplasma hominis, Gram-negative bacilli, and coryneforms. *Journal of the Chinese Medical Association*. 2017;80(9):575-81.
293. Kehinde AO, Adedapo KS, Aimaikhu CO, Odukogbe AT, Olayemi O, Salako B. Significant bacteriuria among asymptomatic antenatal clinic attendees in ibadan, Nigeria. *Trop*. 2011;39(3):73-6.
294. Lai YJ, Hsu TY, Lan KC, Lin H, Ou CY, Fu HC, et al. Asymptomatic pyuria in pregnant women during the first trimester is associated with an increased risk of adverse obstetrical outcomes. *Taiwanese Journal of Obstetrics and Gynecology*. 2017;56(2):192-5.
295. Little PJ. The incidence of urinary infection in 5000 pregnant women. *Lancet*. 1966;2(7470):925-8.
296. Moller M, Thomsen AC, Borch K, Dinesen K, Zdravkovic M. Rupture of fetal membranes and premature delivery associated with group B streptococci in urine of pregnant women. *Lancet*. 1984;2(8394):69-70.
297. Muhamarr SH, Ghazali SN, Yaakub HR, Abiola O. A preliminary assessment of asymptomatic bacteriuria of pregnancy in brunei darussalam. *Malays*. 2014;21(2):34-9.
298. Mustafa MA, Dunbar JM. The use of colicine typing in a study of the relationship of infecting urinary organism to the faecal flora in pregnant patients with significant bacteriuria. *J Obstet Gynaecol Br Commonw*. 1970;77(6):544-7.
299. Neupane MS, Dhakal KS, Neupane HC, Adhikari S, Aryal B. Asymptomatic bacteriuria among pregnant women attending the outpatient clinic of Chitwan Medical College Teaching Hospital, Chitwan, Nepal. *International Research Journal of Pharmacy*. 2012;3(11):78-80.
300. Okonko IO, Ijandipe LA, Ilusanya OA, Donbraye-Emmanuel OB, Ejembi J, Udeze AO, et al. Incidence of urinary tract infection (UTI) among pregnant women in Ibadan, South-Western Nigeria. *African Journal of Biotechnology*. 2009;8(23):6649-57.
301. Olusanya O, Ogunledun A, Fakoya TA. Asymptomatic significant bacteriuria among pregnant and non-pregnant women in Sagamu, Nigeria. *West Afr J Med*. 1993;12(1):27-33.
302. Onu FA, Ajah LO, Ezeonu PO, Umeora OU, Ibekwe PC, Ajah MI. Profile and microbiological isolates of asymptomatic bacteriuria among pregnant women in Abakaliki, Nigeria. *Infection and Drug Resistance*. 2015;8:231-5.
303. Paulshock BZ, Rocco R, Clark JL. The correlation of abnormal urinalysis, urinary symptoms, and bacteria in pregnant women. *Del Med J*. 1972;44(10):271-3.
304. Rahimkhani M, Khavari-Daneshvar H, Sharifian R. Asymptomatic bacteriuria and pyuria in pregnancy. *Acta Medica Iranica*. 2008;46(5):409-12.
305. Rajaratnam A, Baby NM, Kuruvilla TS, Machado S. Diagnosis of asymptomatic bacteriuria and associated risk factors among pregnant women in mangalore, karnataka, India. *J Clin Diagn Res*. 2014;8(9):OC23-5.
306. Ramalingam K, Surasani VM, Bollu M. Prevalence of asymptomatic bacteriuria in antenatal women coming to NRIMC&GH. *Bangladesh Journal of Obstetrics and Gynecology*. 2015;30(1):30-6.
307. Razzaque SM, Rahman KM. Bacteriuria and urinary tract infection in pregnancy. *Bangladesh Med Res Counc Bull*. 1977;3(2):145-8.
308. Rejali M, Ahmadi SS, Hassanzadeh A, Yazdani R, Ahmadi SN. The relationship between weight gain during pregnancy and urinary tract infections in pregnant women of Shahrekord, by using the "Nested case-control study", in 2013. *Journal of Education & Health Promotion*. 2015;4:84.
309. Rizk DE, Mustafa N, Thomas L. The prevalence of urinary tract infections in patients with gestational diabetes mellitus. *Int Urogynecol J Pelvic Floor Dysfunct*. 2001;12(5):317-21.
310. Ross SM. The incidence of asymptomatic bacteriuria in pregnancy and the value of the dip slide kit in assessing it. *Ethiop Med J*. 1973;11(4):265-70.
311. Schieve LA, Handler A, Hershow R, Persky V, Davis F. Urinary tract infection during pregnancy: its association with maternal morbidity and perinatal outcome. *Am J Public Health*. 1994;84(3):405-10.

312. Tahir S, Tayyab M, Rasul S, Jabeen S, Gul A. Prevalence of asymptomatic bacteriuria, associated risk factors and adverse fetomaternal outcome among antenatal women attending a tertiary care hospital. *Pakistan Journal of Medical and Health Sciences*. 2015;9(4):1399-402.
313. Thakur A, Baral R, Basnet P, Rai R, Agrawal A, Regmi MC, et al. Asymptomatic bacteriuria in pregnant women. *Journal of the Nepal Medical Association*. 2013;52(192):567-70.
314. Titoria A, Gupta A, Rathore AM, Prakash SK, Rawat D, Manaktala U. Asymptomatic bacteriuria in women attending an antenatal clinic at a tertiary care centre. *South African Journal of Obstetrics and Gynaecology*. 2014;20(1):4-7.
315. Ullah Md A, Ahmed Md I. Materno-fetal complications of asymptomatic bacteriuria in pregnancy: A longitudinal cohort study. *International Medical Journal*. 2010;17(2):141-6.
316. Whalley PJ, Martin FG, Peters PC. Significance of Asymptomatic Bacteriuria Detected during Pregnancy. *JAMA*. 1965;193:879-81.
317. Young E, Studeny M, Larsen B. Prevalence of asymptomatic bacteriuria in a West Virginia Health Department Clinic. *The West Virginia Medical Journal*. 1987;83(6):271-3.

Studies Excluded Due to Language (3)

318. Azhari S, Yazd MM, Moghaddam MHS, Zadeh SE. Accuracy of urine dipslide to detect asymptomatic bacteriuria in pregnancy. [Persian]. *Iranian Journal of Obstetrics, Gynecology and Infertility* [Internet]. 2012; (3):[7-12 pp.]. Available from: [http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/823/CN-01013823/frame.htm\(1-7\)](http://onlinelibrary.wiley.com/o/cochrane/clcentral/articles/823/CN-01013823/frame.htm(1-7)).
319. Institut fuer Qualitaet und Wirtschaftlichkeit im Gesundheitswesen (IQWiG). Screening for asymptomatic bacteriuria within the framework of the German maternity guidelines, under special consideration of test methods. Executive Summary of Final Report No. S13-02 version 1.0. 2015. Available from: <https://www.iqwig.de/en/projects-results/projects/non-drug-interventions/s13-02-screening-for-asymptomatic-bacteriuria-within-the-framework-of-the-german-maternity-guidelines-under-special-consideration-of-test-methods.3700.html>
320. Gönen İ, Çelik HS, Çelik S, Köse SA. The Investigation of Frequency of Asymptomatic Bacteriuria in Pregnants. *Duzce Medical Journal*. 2012;14(1):6-9 4p.

Studies Excluded as Full Text was Unavailable (7)

321. Chopra JS, Prakash C. Diagnosis and management of urinary tract infections. *J Indian Med Assoc*. 1977;69(10):224-7.
322. Diarra I, Sogoba S, Coulibaly D, Sow SA. Urinary tract infection and pregnancy at the referral health center of the Commune II. *Mali Medical*. 2008;23(3):16-8.
323. Dracon M, Lemaitre L. Urinary tract infection in adult. *Leucocyturia*. *Rev Prat*. 2003;53(10):1137-42.
324. Famurewa O. Prevalence of urinary tract infection in women in Ado -Ekiti, Ondo State, Nigeria. *Igiene Moderna*. 1992;97(4):580-91.
325. Gilstrap LC, 3rd, Lucas MJ. Urinary tract infections in women. *Curr Opin Obstet Gynecol*. 1990;2(5):643-8.
326. Khurshid R, Karim S, Malik A, Farooqi B, Khalid M. Screening for bacteriuria in pregnant women with 2nd trimester urinalysis versus urine culture. *Medical Forum Monthly*. 2000;11(8):11-2.
327. Sairafi SA. Prevalence of UTI among pregnant women attending the antenatal clinics in primary health care centres. *Journal of the Bahrain Medical Society*. 2005;17(4):218-23.

Studies Excluded as they were Duplicates (1)

328. Matorras R, Garcia-Perea A, Usandizaga JA, Omenaca F. Recto-vaginal colonization and urinary tract infection by group B Streptococcus in the pregnant diabetic patient. *Acta Obstet Gynecol Scand*. 1988;67(7):617-20.

Note: no studies were excluded due to outcome

Excluded Studies – KQ2 (women's outcome valuation)

Studies Excluded Due to Study Design (20)

1. Anonymous. Share with women. Group B strep in pregnancy: frequently asked questions. *J Midwifery Women's Health*. 2002;47(6):495-6.
2. Anonymous. Share with Women. Group B strep in pregnancy. *J Midwifery Women's Health*. 2015;60(5):657-8.
3. Anonymous. SNAP SHOTS. *Women's Health Activist*. 2016;41(4):12.
4. Anonymous. Urinary tract infections. *Cleve Clin J Med*. 1999;66(8):502.
5. Anonymous. Urinary tract infections. *J Midwifery Womens Health*. 2005;50(6):551-2.
6. Arbique JC. Stop UTIs in their tracts: learn who's at risk and how to prevent these painful infections. *Nursing*. 2003;33(6):32hn1-4 1p.
7. Assal JP, Ekoe JM, Lacroix A. [Teaching patients about their illness and its treatment. A therapeutic success, a medical failure]. *Journ(1-11) Annu Diabetol Hotel Dieu*. 1984:193-207. L'enseignement au malade sur sa maladie et son traitement.
8. Basu AM. Cultural influences on health care use: two regional groups in India. *Stud Fam Plann*. 1990;21(5):275-86.
9. Buckley B, Fader M, Macauley M. Giving intermittent catheter users more choice. *British Journal of General Practice*. 2015;65(637):419.
10. Burch HB, Cooper DS. Management of graves disease a review. *JAMA*. 2015;314(23):2544-54.
11. Chapman DK, Bartlett J, Powell J, Carter N. Bacterial vaginosis screening and treatment in pregnant women. *J Midwifery Women's Health*. 2016;61(5):628-31.
12. Hancock RL, Koren G, Einarson A, Ungar WJ. The effectiveness of Teratology Information Services (TIS). *Reprod Toxicol*. 2007;23(2):125-32.
13. Koves B, Cai T, Veeratterapillay R, Pickard R, Seisen T, Lam TB, et al. Benefits and harms of treatment of asymptomatic bacteriuria: a systematic review and meta-analysis by the European Association of Urology Urological Infection Guidelines Panel. *European Urology*. 2017;25:25.
14. Naber KG, Wagenlehner FME. Editorial comment. *Journal of Urology*. 2017;198(1):114-5.
15. Naik AD, Trautner BW. Doing the right thing for asymptomatic bacteriuria: knowing less leads to doing less. *Clinical Infectious Diseases*. 2014;58(7):984-5.
16. Ooi C, Dayan L. Patient education. I'm pregnant. Should I have these tests? *Aust Fam Physician*. 2004;33(9):727.
17. Pitsouni E, Iavazzo C, Athanasiou S, Falagas ME. Single-dose azithromycin versus erythromycin or amoxicillin for Chlamydia trachomatis infection during pregnancy: a meta-analysis of randomised controlled trials. *Int J Antimicrob Agents*. 2007;30(3):213-21.
18. Ratner V. Rediscovering a "rare" disease: a patient's perspective on interstitial cystitis. *Urology*. 1987;29(4 Suppl):44-5.
19. Volland J, Fisher A, Drexler D. Delirium and Dementia in the Intensive Care Unit: Increasing Awareness for Decreasing Risk, Improving Outcomes, and Family Engagement. *Dccn*. 2015;34(5):259-64.
20. Whittle N, Champion P. Group B streptococcus in pregnancy: intrapartum care choices for women. *Primary Health Care*. 2015;25(10):36-42 7p.

Studies Excluded Due to Population (31)

21. Akhali KMA, Alzomar AK, Khan NA, Alavudeen SS. Misuse of antibiotics and awareness of antibiotic hazard among the public and medical professionals in thamar province, in Republic of Yemen. *Pharmacie Globale*. 2013;4(1).
22. Alwall N, Lohi A. A population study on renal and urinary tract diseases. I. Introduction: selection of 3 998 persons for screening and nephrological examination (55.7 percent), including a control group (16.1 percent). *Acta Med Scand*. 1973;194(6):525-8.
23. Andre M, Molstad S, Lundborg CS, Odenholt I, Swedish Study Group on Antibiotic U. Management of urinary tract infections in primary care: a repeated 1-week diagnosis-prescribing study in five counties in Sweden in 2000 and 2002. *Scand J Infect Dis*. 2004;36(2):134-8.
24. Balligan FJ, Hale TM. Analgesic and antibiotic administration during pregnancy. *Gen Dent*. 1993;41(3):220-5; quiz 33-4.
25. Bar-Zeev S, Barclay L, Kruske S, Kildea S. Factors affecting the quality of antenatal care provided to remote dwelling Aboriginal women in northern Australia. *Midwifery*. 2014;30(3):289-96.
26. Bedri NM. Grandmothers' influence on mother and child health. *Ahfad J*. 1995;12(1):74-86.
27. Bonari L, Koren G, Einarson TR, Jasper JD, Taddio A, Einarson A. Use of antidepressants by pregnant women: evaluation of perception of risk, efficacy of evidence based counseling and determinants of decision making. *Arch Women Ment Health*. 2005;8(4):214-20.
28. Bristow CC, Desgrottes T, Cutler L, Cutler D, Devarajan K, Ocheretina O, et al. The aetiology of vaginal

- symptoms in rural Haiti. *Int J STD AIDS.* 2014;25(9):669-75.
29. Butler CC, Hawking MK, Quigley A, McNulty CA. Incidence, severity, help seeking, and management of uncomplicated urinary tract infection: a population-based survey. *Br J Gen Pract.* 2015;65(639):e702-7.
 30. Butler CC, Hillier S, Roberts Z, Dunstan F, Howard A, Palmer S. Antibiotic-resistant infections in primary care are symptomatic for longer and increase workload: outcomes for patients with *E. coli* UTIs. *Br J Gen Pract.* 2006;56(530):686-92.
 31. Cantilino A, Lorenzo L, de Paula JA, Einarsen A. Use of psychotropic medications during pregnancy: Perception of teratogenic risk among physicians in two Latin American countries. *Revista Brasileira de Psiquiatria.* 2014;36(2):106-10.
 32. Castle AR, Elstub J. Antibiotic sensitivity testing: a survey undertaken in September 1970 in the United Kingdom. *J Clin Pathol.* 1971;24(9):773-8.
 33. Chen C, Chen YM, Hwang KL, Lin SJ, Yang CC, Tsay RW, et al. Behavior, attitudes and knowledge about antibiotic usage among residents of Changhua, Taiwan. *J Microbiol Immunol Infect.* 2005;38(1):53-9.
 34. Christensen B. Use of antibiotics to treat bacteriuria of pregnancy in the Nordic countries. Which antibiotics are appropriate to treat bacteriuria of pregnancy? *Int J Antimicrob Agents.* 2001;17(4):283-5.
 35. De Santis M, De Luca C, Quattrocchi T, Visconti D, Cesari E, Mappa I, et al. Use of the Internet by women seeking information about potentially teratogenic agents. *European Journal of Obstetrics Gynecology and Reproductive Biology.* 2010;151(2):154-7.
 36. Dixon-Woods M, Jackson C, Windridge KC, Kenyon S. Receiving a summary of the results of a trial: qualitative study of participants' views. *Bmj.* 2006;332(7535):206-10.
 37. Donnan PT, Wei L, Steinke DT, Phillips G, Clarke R, Noone A, et al. Presence of bacteriuria caused by trimethoprim resistant bacteria in patients prescribed antibiotics: Multilevel model with practice and individual patient data. *Br Med J.* 2004;328(7451):1297-300.
 38. Duane S, Domegan C, Callan A, Galvin S, Cormican M, Bennett K, et al. Using qualitative insights to change practice: exploring the culture of antibiotic prescribing and consumption for urinary tract infections. *BMJ Open.* 2016;6(1):e008894.
 39. Duane SB, Beatty P, Murphy AW, Vellinga A. Exploring experiences of delayed prescribing and symptomatic treatment for urinary tract infections among general practitioners and patients in ambulatory care: a qualitative study. *Antibiotics.* 2016;5(3):15.
 40. Hofmann DA, Mark B. An investigation of the relationship between safety climate and medication errors as well as other nurse and patient outcomes. *Personnel Psychology.* 2006;59(4):847-69.
 41. Ito T, Ueda T, Honma Y, Takei M. Recent trends in patient characteristics and therapeutic choices for interstitial cystitis: Analysis of 282 Japanese patients. *Int J Urol.* 2007;14(12):1068-70.
 42. Knottnerus BJ, Geerlings SE, Moll van Charante EP, ter Riet G. Women with symptoms of uncomplicated urinary tract infection are often willing to delay antibiotic treatment: a prospective cohort study. *BMC Fam Pract.* 2013;14:71.
 43. Koren G, Bologna M, Long D, Feldman Y, Shear NH. Perception of teratogenic risk by pregnant women exposed to drugs and chemicals during the first trimester. *American Journal of Obstetrics and Gynecology.* 1989;160(5 I):1190-4.
 44. Logan S, Browne J, McKenzie H, Templeton A, Bhattacharya S. Evaluation of endocervical, first-void urine and self-administered vulval swabs for the detection of Chlamydia trachomatis in a miscarriage population.[Erratum appears in BJOG. 2005 Apr;112(4):528]. *Bjog.* 2005;112(1):103-6.
 45. Louhi-Pirkanniemi KA, Rautava PT, Aromaa M, Ojanlatva AT, Mertsola J, Helenius H, et al. Pregnancy and childbirth-related factors associated with recurrent antibiotic use in infants. *Acta Paediatr.* 2003;92(9):1102-8.
 46. Maitra K, Degraft-Johnson J, Singh KK, Tsui AO. Prevalence of self-reported symptoms of reproductive tract infections among recently pregnant women in Uttar Pradesh, India. *J Biosoc Sci.* 2001;33(4):585-601.
 47. Nosova K, Nuno M, Mukherjee D, Lad SP, Boakye M, Black KL, et al. Urinary tract infections in meningioma patients: Analysis of risk factors and outcomes. *J Hosp Infect.* 2013;83(2):132-9.
 48. Percival KM, Valenti KM, Schmittling SE, Strader BD, Lopez RR, Bergman SJ. Impact of an antimicrobial stewardship intervention on urinary tract infection treatment in the ED. *Am J Emerg Med.* 2015;33(9):1129-33.
 49. Shehadeh M, Suaifan G, Darwish RM, Wazaify M, Zaru L, Alja'fari S. Knowledge, attitudes and behavior regarding antibiotics use and misuse among adults in the community of Jordan. A pilot study. *Saudi Pharm J.* 2012;20(2):125-33.
 50. Stuck AK, Tauber MG, Schabel M, Lehmann T, Suter H, Muhlemann K. Determinants of quinolone versus trimethoprim-sulfamethoxazole use for outpatient urinary tract infection. *Antimicrobial Agents and Chemotherapy.* 2012;56(3):1359-63.
 51. Timpka T, Buur T. Medical reasoning and patient requests in decision-making for female genitourinary infections.

Methods Inf Med. 1991;30(3):215-20.

Studies Excluded Due to Intervention (45)

52. Abu-Mostafa NA, Al-Mejlad NJ, Al-Yami AS, Al-Sakhin FZ, Al-Mudhi SA. A survey of awareness related to the use of antibiotics for dental issues among non-medical female university students in Riyadh, Saudi Arabia. *J Infect Public Health*. 2017;20:20.
53. Adhikari A, Biswas S, Gupta RK. Drug utilization pattern in pregnant women in rural areas, India: cross-sectional observational study. *J Obstet Gynaecol Res*. 2011;37(12):1813-7.
54. Alkhawajah AM, Larbi EB, Elyahia AW. Pattern of drug consumption in pregnant Saudi women. *Saudi Med J*. 1991;12(3):196-200.
55. Aviv RI, Chubb K, Lindow SW. The prevalence of maternal medication ingestion in the antenatal period. *Samj*, S. 1993;83(9):657-60.
56. Basgul A, Akici A, Uzuner A, Kalaca S, Kavak ZN, Tural A, et al. Drug utilization and teratogenicity risk categories during pregnancy. *Advances in Therapy*. 2007;24(1):68-80.
57. Bienenfeld S, Rodriguez-Riesco LG, Heyborne KD. Avoiding inadequate intrapartum antibiotic prophylaxis for group B streptococci. *Obstetrics & Gynecology*. 2016;128(3):598-603.
58. Bonati M. An international survey on drug utilization during pregnancy. *International Journal of Risk and Safety in Medicine*. 1991;2(6):345-50.
59. Cabeza J, Garcia PJ, Segura E, Garcia P, Escudero F, La Rosa S, et al. Feasibility of Chlamydia trachomatis screening and treatment in pregnant women in Lima, Peru: a prospective study in two large urban hospitals. *Sex Transm Infect*. 2015;91(1):7-10.
60. Catalozzi MF, Fraiz LD, Hargreaves KM, Zimet GD, Stanberry LR, Ratner AJ, Gelber SE, Rosenthal SL. Pregnant women's attitudes about topical microbicides for the prevention and treatment of bacterial vaginosis during pregnancy. *International Journal of STD and AIDS*. 2017;28(9):881-6.
61. De Vigan C, De Walle HEK, Cordier S, Goujard J, Knill-Jones R, Ayme S, et al. Therapeutic drug use during pregnancy: A comparison in four European countries. *J Clin Epidemiol*. 1999;52(10):977-82.
62. Donati S, Baglio G, Spinelli A, Grandolfo ME. Drug use in pregnancy among Italian women. *Eur J Clin Pharmacol*. 2000;56(4):323-8.
63. Drazancic A, Delmis J, Bljajic D, Raic Z, Borgudan V, Tuzovic L, et al. Drug use during pregnancy in Zagreb. *Periodicum Biologorum*. 2001;103(4):351-5.
64. Dus IM, Lepucka M, Hirnle L, Radwan-Oczko M. State of knowledge about drugs used during pregnancy and their toxicity to the fetus - Preliminary report. *Current Issues in Pharmacy and Medical Sciences*. 2013;26(2):211-4.
65. Forrester MB, Stanley SK. Exposures and treatments among women of childbearing age and pregnant women reported to Texas poison centers. *Veterinary and Human Toxicology*. 2004;46(4):210-2.
66. Gopal Rao G, Nartey G, McAree T, O'Reilly A, Hiles S, Lee T, Wallace S, Batura R, Khanna P, Abbas H, Tilsed C, Nicholl R, Lamagni T, Bassett P. Outcome of a screening programme for the prevention of neonatal invasive early-onset group B streptococcus infection in a UK maternity unit: an observational study. *BMJ Open*. 2017;7(4):e014634.
67. Heikkila AM, Erkkola RU, Nummi SE. Use of medication during pregnancy - A prospective cohort study on use and policy of prescribing. *Annales Chirurgiae et Gynaecologiae*. 1994;83(SUPPL. 208):80-3.
68. Ibrahim Kureshee N, Pravin Dhande P. Awareness of mothers and doctors about drug utilization pattern for illnesses encountered during pregnancy. *Journal of Clinical and Diagnostic Research*. 2013;7(11):2470-4.
69. Jackson SR, Dryden M, Gillett P, Kearney P, Weatherall R. A novel midstream urine-collection device reduces contamination rates in urine cultures amongst women. *BJU Int*. 2005;96(3):360-4.
70. Jimenez E, Bosch F, Lopez A, Costa J, Cos R, Banos JE. Patterns of regular drug use in Spanish childbearing women: Changes elicited by pregnancy. *Eur J Clin Pharmacol*. 1998;54(8):645-51.
71. Kaplan YC, Karadas B, Kksolak G, Ediz B, Demir O, Sozmen K, Nordeng H. Counselling pregnant women at the crossroads of Europe and Asia: effect of Teratology Information Service in Turkey. *International Journal of Clinical Pharmacy*. 2017;39(4):783-90.
72. Kamuhabwa A, Jalal R. Drug use in pregnancy: Knowledge of drug dispensers and pregnant women in Dar es Salaam, Tanzania. *Indian J Pharmacol*. 2011;43(3):345-9.
73. Kebede B, Gedif T, Getachew A. Assessment of drug use among pregnant women in Addis Ababa, Ethiopia. *Pharmacoepidemiol Drug Saf*. 2009;18(6):462-8.
74. Kenyon S, Dixon-Woods M, Jackson CJ, Windridge K, Pitchforth E. Participating in a trial in a critical situation: a qualitative study in pregnancy. *Qual Saf Health Care*. 2006;15(2):98-101.
75. Kirmizi DA, Taner CE, Kayar I, Iris A, Yaz P, Okcu Y. Assessment of bacterial vaginosis incidence and neonatal outcome on cases with preterm premature rupture of membranes. Preterm erken membran rupturu olgularında bakteriyel vaginosis insidansı ve neonatal sonucların değerlendirilmesi. *Turk Jinekoloji ve Obstetrik Dernegi*

- Dergisi. 2013;10(2):72-8.
76. Kho JV, Chua SS, Dallumal RM, Omar SZ. Medications used by pregnant women: any safety concerns? International Journal of Pharmacy and Pharmaceutical Sciences. 2017;9(5):100-6.
 77. Lee E, Maneno MK, Smith L, Weiss SR, Zuckerman IH, Wutoh AK, et al. National patterns of medication use during pregnancy. Pharmacoepidemiology and Drug Safety. 2006;15(8):537-45.
 78. Nordeng H, Koren G, Einarson A. Pregnant women's beliefs about medications--a study among 866 Norwegian women. Ann Pharmacother. 2010;44(9):1478-84.
 79. Odalovic M, Vezmar Kovacevic S, Ilic K, Sabo A, Tasic L. Drug use before and during pregnancy in Serbia. Int J Clin Pharm. 2012;34(5):719-27.
 80. Patten S, Vollman AR, Manning SD, Mucenski M, Vidakovich J, Davies HD. Vaccination for Group B Streptococcus during pregnancy: attitudes and concerns of women and health care providers. Soc Sci Med. 2006;63(2):347-58.
 81. Philbert A, Pedersen B. Treatment of epilepsy in women of child-bearing age: patients' opinion of teratogenic potential of valproate. Acta Neurol Scand Suppl. 1983;94:35-8.
 82. Rayburn WF, Turnbull GL. Off-label drug prescribing on a state university obstetric service. Journal of Reproductive Medicine for the Obstetrician and Gynecologist. 1995;40(3):186-8.
 83. Refuerzo JS, Blackwell SC, Sokol RJ, Lajeunesse L, Firchau K, Kruger M, et al. Use of over-the-counter medications and herbal remedies in pregnancy. Am J Perinatol. 2005;22(6):321-4.
 84. Riley EH, Fuentes-Afflick E, Jackson RA, Escobar GJ, Brawarsky P, Schreiber M, et al. Correlates of prescription drug use during pregnancy. J Womens Health (Larchmt). 2005;14(5):401-9.
 85. Rubin PC, Craig GF, Gavin K, Sumner D. Prospective survey of use of therapeutic drugs, alcohol, and cigarettes during pregnancy. Br Med J (Clin Res Ed). 1986;292(6513):81-3.
 86. Sarangarm P, Young B, Rayburn W, Jaiswal P, Dodd M, Phelan S, et al. Agreement between self-report and prescription data in medical records for pregnant women. Birth Defects Res Part A Clin Mol Teratol. 2012;94(3):153-61.
 87. Shehadeh MB, Suaifan GARY, Hammad EA. Active educational intervention as a tool to improve safe and appropriate use of antibiotics. Saudi Pharmaceutical Journal. 2016;24(5):611-5.
 88. Skouteris H, Wertheim EH, Rallis S, Paxton SJ, Kelly L, Milgrom J. Use of complementary and alternative medicines by a sample of Australian women during pregnancy. Australian and New Zealand Journal of Obstetrics and Gynaecology. 2008;48(4):384-90.
 89. Splinter MY, Sagraves R, Nightengale B, Rayburn WF. Prenatal use of medications by women giving birth at a university hospital. South Med J. 1997;90(5):498-502.
 90. Stokholm J, Schjorring S, Pedersen L, Bischoff AL, Folsgaard N, Carson CG, et al. Prevalence and predictors of antibiotic administration during pregnancy and birth. PLoS ONE. 2013;8(12):e82932.
 91. Studer EM, Marc-Aurele KL. Lost in explanation: lessons learned from audio-recordings and surveys of the antenatal consultation. Journal of Neonatal-Perinatal Medicine. 2016;9(4):393-400.
 92. Tahaineh L, Nuseir K, Al-Mehaisen LM. Medication use during pregnancy and drug information resources utilized by pregnant women in Jordan. Clinical and Experimental Obstetrics and Gynecology. 2017;44(1):70-6.
 93. Tronnes JN, Lupattelli A, Nordeng H. Safety profile of medication used during pregnancy: results of a multinational European study. Pharmacoepidemiology and Drug Safety. 2017;26(7):802-11.
 94. Widnes SF, Schjott J, Eide GE, Granas AG. Teratogenic risk perception and confidence in use of medicines in pairs of pregnant women and general practitioners based on patient information leaflets. Drug Saf. 2013;36(6):481-9.
 95. Youden L, Downing M, Halperin B, Scott H, Smith B, Halperin SA. Group B streptococcal testing during pregnancy: survey of postpartum women and audit of current prenatal screening practices. J Obstet Gynaecol Can. 2005;27(11):1006-12.
 96. Zhu X, Qi X, Hao J, Huang Z, Zhang Z, Xing X, et al. Pattern of drug use during the first trimester among Chinese women: Data from a population-based cohort study. Eur J Clin Pharmacol. 2010;66(5):511-8.

Studies Excluded Due to Outcome (47)

97. Abdul Hadi B, Torok J, Mezey G. Drug utilization study during pregnancy. Acta Pharm Hung. 1995;65(3):69-75.
98. Alfred AO, Chiedozie I, Martin DU. Pattern of asymptomatic bacteriuria among pregnant women attending an antenatal clinic at a private health facility in Benin, South-South Nigeria. Ann Afr Med. 2013;12(3):160-4.
99. Al-Haddad AM. Urinary tract infection among pregnant women in Al-Mukalla district, Yemen. East Mediterr Health J. 2005;11(3):505-10.
100. Al-Riyami IM, Al-Busaidy IQ, Al-Zakwani IS. Medication use during pregnancy in Omani women. Int J Clin Pharm. 2011;33(4):634-41.

101. Awonuga DO, Fawole AO, Dada-Adegbola HO, Olola FA, Awonuga OM. Predictors of asymptomatic bacteriuria among obstetric population in Ibadan.[Erratum appears in Niger J Med. 2010 Jul-Sep;19(3):339 Note: Awonuga, D A [corrected to Awonuga, D O]; Dada-Adegbola, H A [corrected to Dada-Adegbola, H O]]. Niger J Med. 2010;19(2):188-93.
102. Baraka MA, Steurbaut S, Coomans D, Dupont AG. Ethnic differences in drug utilization pattern during pregnancy: A cross-sectional study. *Journal of Maternal-Fetal and Neonatal Medicine*. 2013;26(9):900-7.
103. Bonassi S, Magnani M, Calvi A, Repetto E, Puglisi P, Pantarotto F, et al. Factors related to drug consumption during pregnancy. *Acta Obstet Gynecol Scand*. 1994;73(7):535-40.
104. Brumfitt W. The effects of bacteriuria in pregnancy on maternal and fetal health. *Kidney Int Suppl*. 1975;4:S113-9.
105. Cowgill K, Taylor Jr TH, Schuchat A, Schrag S. Report from the CDC. Awareness of perinatal group B Streptococcal infection among women of childbearing age in the United States, 1999 and 2002. *J Womens Health (Larchmt)*. 2003;12(6):527-32.
106. Damase-Michel C, Lapeyre-Mestre M, Moly C, Fournie A, Montastruc JL. Drug use during pregnancy: Survey in 250 women consulting at a University Hospital. [French]. *Consommation de medicaments pendant la grossesse: Enquete aupres de 250 femmes en consultation dans un Centre Hospitalier Universitaire*. *Journal de Gynecologie Obstetrique et Biologie de la Reproduction*. 2000;29(1):77-85.
107. Elder H, Santamarina B, Smith S, Kass E. The natural history of asymptomatic bacteriuria during pregnancy: the effect of tetracycline on the clinical course and the outcome of pregnancy. *American Journal of Obstetrics and Gynecology*. 1971;111(3):441-62.
108. Elder H, Santamarina B, Smith S, Kass E. Use of sulfasymazine in the treatment of bacteriuria of pregnancy. *Antimicrobial Agents and Chemotherapy*. 1966;6:142-8.
109. Etminan-Bakhsh M, Darabi R, Tadi S, Mohit M. Frequency survey of asymptomatic bacteriuria in pregnant women attending boo-ali hospital, Tehran. *Galen Medical Journal*. 2015;4(4):159-63.
110. Foley M, Farquharson R, Stronge J. Is screening for bacteriuria in pregnancy worthwhile? *British Medical Journal (Clinical research ed)*. 1987;295(6592):270.
111. Friedman AM, Phipps MG, Raker CA, Anderson BL. Pyelonephritis during pregnancy as a marker for quality of prenatal care. *J Matern Fetal Neonatal Med*. 2012;25(6):739-42.
112. Furness E, McDonald P, Beasley N. Urinary antiseptics in asymptomatic bacteriuria of pregnancy. *The New Zealand Medical Journal*. 1975;81(539):417-9.
113. Gérard J, Blazquez G, Mounac M. Importance of systematic research of urinary infection in pregnant women and the cost of its detection. Proposal for a practical approach. *J Gynecol Obstet Biol Reprod (Paris)*. 1983;12(3):243-51.
114. Gharoro EP, Igbafe AA. Pattern of drug use amongst antenatal patients in Benin City, Nigeria. *Med Sci Monit*. 2000;6(1):84-7.
115. Gold EM, Traub FB, Daichman I, Terris M. Asymptomatic bacteriuria during pregnancy. *Obstet Gynecol*. 1966;27(2):206-9.
116. Gratacós E, Torres P, Vila J, Alonso PL, Cararach V. Screening and treatment of asymptomatic bacteriuria in pregnancy prevent pyelonephritis. *J Infect Dis*. 1994;169(6):1390-2 3p.
117. Harjulehto T, Aro T, Saxen L. Long-term changes in medication during pregnancy. *Teratology*. 1988;37(2):145-8.
118. Headley J, Northstone K, Simmons H, Golding J, Team AS. Medication use during pregnancy: data from the Avon Longitudinal Study of Parents and Children. *Eur J Clin Pharmacol*. 2004;60(5):355-61.
119. Heikkila AM. Antibiotics in pregnancy--a prospective cohort study on the policy of antibiotic prescription. *Ann Med*. 1993;25(5):467-71.
120. Henry A, Crowther C. Patterns of medication use during and prior to pregnancy: the MAP study. *Aust N Z J Obstet Gynaecol*. 2000;40(2):165-72.
121. Jankovic SM, Babic M, Nevena B, Bogojevic J, Vasic O, Vucevic M, et al. Effects of a facebook profile devoted to drug use in pregnancy on the discovery of inappropriate drug use by pregnant females in the former yugoslav republics. *Doprinos fejsbuk profila posvecenog koriscenju lekova u trudnoci otkrivanju neodgovarajuce upotrebe lekova u bivsim jugoslovenskim republikama*. *Serbian Journal of Experimental and Clinical Research*. 2012;13(1):3-7.
122. Jules A, Kaltenbach LA, Arbogast PG, Caples TL, Po'e EK, Cooper WO. Use of drugs known to cause fetal harm among women delivering infants in Haiti. *Acad Pediatr*. 2010;10(6):395-9.
123. Kant S, Lohiya A, Kapil A, Gupta SK. Urinary tract infection among pregnant women at a secondary level hospital in Northern India. *Indian J Public Health*. 2017;61(2):118-23.
124. Karami-Matin B, Hosseini SN, Mahboubi M, Aghaei A, Fattahi M, Etesamifard T. Predicting factors related to self-medication among pregnant women referred to health centers in Kermanshah County. *International Journal of*

- Tropical Medicine. 2016;11(2):33-7.
125. Kass E. The role of asymptomatic bacteriuria in the pathogenesis of pyelonephritis. Biology of Pyelonephritis Boston: Little, Brown. 1960;399.
 126. Kincaid-Smith P, Bullen M. Bacteriuria in pregnancy. The Lancet. 1965;285(7382):395-9.
 127. Leblanc AL, McGanity WJ. The Impact of Bacteriuria in Pregnancy; a Survey of 1300 Pregnant Patients. Tex Rep Biol Med. 1964;22:336-47.
 128. Little P. The incidence of urinary infection in 5000 pregnant women. The Lancet. 1966;288(7470):925-8.
 129. Mitchell AA, Gilboa SM, Werler MM, Kelley KE, Louik C, Hernandez-Diaz S. Medication use during pregnancy, with particular focus on prescription drugs: 1976-2008. American Journal of Obstetrics and Gynecology. 2011;205(1):51.e1-e8.
 130. Mulla N. Bacteriuria in pregnancy. Obstet Gynecol. 1960;16(1):89.
 131. Nordeng H, Eskild A, Nesheim BI, Aursnes I, Jacobsen G. Drug use during early pregnancy: The impact of maternal illness, outcome of prior pregnancies and socio-demographic factors. Eur J Clin Pharmacol. 2001;57(3):259-63.
 132. Olesen C, Steffensen FH, Nielsen GL, de Jong-van den Berg L, Olsen J, Sorensen HT. Drug use in first pregnancy and lactation: a population-based survey among Danish women. The EUROMAP group. Eur J Clin Pharmacol. 1999;55(2):139-44.
 133. Pathak U, Tang K, Wifflams L, Stuart K. Bacteriuria of pregnancy: Results of treatment. The Journal of Infectious Diseases. 1969;120(1):91-103.
 134. Pisa FE, Casetta A, Clagnan E, Michelesio E, Vecchi Brumatti L, Barbone F. Medication use during pregnancy, gestational age and date of delivery: agreement between maternal self-reports and health database information in a cohort. BMC Pregnancy Childbirth. 2015;15:310.
 135. Raheel H, Alsakran S, Alghamdi A, Ajarem M, Alsulami S, Mahmood A. Antibiotics and over the counter medication use and its correlates among Arab pregnant women visiting a tertiary care hospital in Riyadh, Saudi Arabia. Pakistan Journal of Medical Sciences. 2017;33(2):452-6.
 136. Rhode MA, Shapiro H, Jones IOW. Indicated vs. routine prenatal urine chemical reagent strip testing. Journal of Reproductive Medicine for the Obstetrician and Gynecologist. 2007;52(3):214-9.
 137. Rizk MA, Abdel-Aziz F, Ashmawy AA, Mahmoud AA, Abuzeid TM. Knowledge and practices of pregnant women in relation to the intake of drugs during pregnancy. J Egypt Public Health Assoc. 1993;68(5-6):567-91.
 138. Thomsen A, Mørup L, Hansen KB. Antibiotic elimination of group-B streptococci in urine in prevention of preterm labour. The Lancet. 1987;329(8533):591-3.
 139. Uncu Y, Uncu G, Esmer A, Bilgel N. Should asymptomatic bacteriuria be screened in pregnancy? Clin Exp Obstet Gynecol. 2002;29(4):281-5.
 140. Wadland WC, Plante DA. Screening for asymptomatic bacteriuria in pregnancy: A decision and cost analysis. J. 1989;29(4):372-6.
 141. Williams G, Campbell H, Davies K. Urinary concentrating ability in women with asymptomatic bacteriuria in pregnancy. British Medical Journal. 1969;3(5664):212-5.
 142. Wren B. Subclinical renal infection and prematurity. The Medical journal of Australia. 1969;2(12):596.
 143. Yusuff KB, Omarusehe LD. Determinants of self medication practices among pregnant women in Ibadan, Nigeria. Int J Clin Pharm. 2011;33(5):868-75.

Studies Excluded Due to Language (4)

144. Costa da Fonseca MRC, da Fonseca E, Bergsten-Mendes G. Prevalence of drug use during pregnancy: A pharmacoepidemiological approach. Revista de Saude Publica. 2002;36(2):205-12.
145. Marin GH, Canas M, Homar C, Aimetta C, Orchuela J. Taking medicine during pregnancy in females living in buenos aires, Argentina. Uso de farmacos durante el periodo de gestacion en embarazadas de buenos aires, Argentina. Revista de Salud Publica. 2010;12(5):722-31.
146. Mengue SS, Schenkel EP, Duncan BB, Schmidt MI. Drug use by pregnant women in six Brazilian cities. Revista de Saude Publica. 2001;35(5):415-20.
147. Mini E, Varas R, Vicuna Y, Levano M, Rojas L, Medina J, et al. Self-medication behavior among pregnant women user of the Instituto nacional Materno Perinatal, Peru 2011. Automedicacion en gestantes que acuden al Instituto nacional Materno Perinatal, Peru 2011. Revista Peruana de Medicina Experimental y Salud Publica. 2012;29(2):212-7.

Studies Excluded as Full Text was Unavailable (1)

148. Cook D. How do patients' UTI experiences differ from providers?: a UTI survey of healthcare professionals and female patients. Postgrad Med. 2004;116(6 Suppl Treating):21-32.

Excluded Studies – KQ4 (treatment effectiveness)

Studies Excluded Due to Study Design (5)

1. Allen VM, Yudin MH, Bouchard C, Boucher M, Caddy S, Castillo E, et al. Management of group B streptococcal bacteriuria in pregnancy. *Journal of Obstetrics and Gynaecology Canada*. 2012;34(5):482-6.
2. Ben David S, Einarson T, Ben David Y, Nulman I, Pastuszak A, Koren G. The safety of nitrofurantoin during the first trimester of pregnancy: meta-analysis. *Fundamental and Clinical Pharmacology*. 1995;9(5):503-7.
3. Cypher RL. Reducing recurrent preterm births: best evidence for transitioning to predictive and preventative strategies. *The Journal of Perinatal and Neonatal Nursing*. 2012;26(3):220-9.
4. Le J, Briggs GG, McKeown A, Bustillo G. Urinary tract infections during pregnancy. *Ann Pharmacother*. 2004;38(10):1692-701.
5. Varma R, Gupta JK, James DK, Kilby MD. Do screening-preventative interventions in asymptomatic pregnancies reduce the risk of preterm delivery--a critical appraisal of the literature. *Eur J Obstet Gyn R B*. 2006;127(2):145-59.

Studies Excluded Due to Population (3)

6. Romero R, Oyarzun E, Mazor M, Sirtori M, Hobbins JC, Bracken M. Meta-analysis of the relationship between asymptomatic bacteriuria and preterm delivery/low birth weight. *Obstet Gynecol*. 1989;73(4):576-82.
7. Schneeberger C, Geerlings SE, Middleton P, Crowther CA. Interventions for preventing recurrent urinary tract infection during pregnancy. *The Cochrane Database of Systematic Reviews*. 2015;(7):CD009279.
8. Vercaigne LM, Zhanel GG. Recommended treatment for urinary tract infection in pregnancy. *Annals Pharmacother*. 1994;28(2):248-51.

Studies Excluded Due to Intervention (5)

9. Institute for Quality and Efficiency in Health Care. Screening for asymptomatic bacteriuria within the framework of the German maternity guidelines, under special consideration of test methods. *Health Technology Assessment Database [Internet]*. 2015;(3). Available from: <http://onlinelibrary.wiley.com/o/cochrane/clhta/articles/HTA-32015001049/frame.html>.
10. Koren G. Can pregnant patients safely take nitrofurantoin? *Can Fam Physician*. 1996;42:245-6.
11. Masson P, Matheson S, Webster AC, Craig JC. Meta-analyses in prevention and treatment of urinary tract infections. *Infect Dis Clin N Am*. 2009;23(2):355-85.
12. United States Preventive Services Task Force. Screening for asymptomatic bacteriuria in adults: reaffirmation recommendation statement. *Am Fam Physician*. 2010;81(4):505.
13. Pels RJ, Bor DH, Woolhandler S, Himmelstein DU, Lawrence RS. Dipstick urinalysis screening of asymptomatic adults for urinary tract disorders. II. Bacteriuria. *JAMA*. 1989;262(9):1221-4.

Studies Excluded due to Comparator (1)

14. Money DM, Dobson S. The prevention of early-onset neonatal group B streptococcal disease. *Journal of Obstetrics and Gynaecology Canada*. 2004;26(9):826-40.